

Catalogue

EDITION No. 4



ON THE COVER: "Spaceship to Infinity" by Meloniski da Villacidro

Editorial



Ilaria Casalanguida
EKOMMERCE DIRECTOR

We often tend to separate pragmatism from the expressive freedom of art, as if they were opposing planets. But if there's one lesson that businesses can learn from art, it's precisely the ability to challenge the boundaries of rational thought—going beyond convention when it becomes a limitation.

Art, with its power to transform *abstract* ideas into *tangible* forms, teaches us to look beyond the ordinary, to face challenges boldly, and to shape a future that breaks free from mere economic logic.

That's why, on the occasion of the release of our Professional Catalogue, we've chosen to continue the "Artist's Cover" project. Now in its second edition, the initiative includes several phases among them, the selection of an artist who is entrusted with the task of interpreting the message that Ekommerce wishes to share with you each year.

This year, the mission was given to Meloniski da Villacidro, a renowned Italian artist whose unique and visionary style has brought to life a creation that speaks to both the heart and the mind.

"Spaceship to Infinity" is the title of the artwork that will grace the cover of the Ekommerce 2025 Professional Catalogue.

"Spaceship to Infinity" is a metaphor for the way we should approach life both professional and personal: an invitation to explore new horizons, pushing boundaries beyond what we know, just as a starship would venture into the vastness of space. This artwork reminds us that change and innovation are not solely about technology, but about how we perceive reality. The ability to be visionary is what sets apart companies that remain anchored in the past from those that evolve and become enthusiastic drivers of change.

Our commitment to ecological and sustainable pest control is the result of creative thinking a deliberate choice to move away from a conventional approach and look toward the future with courage. Just as art transcends the limits of logic and the ordinary, we too, as a company, firmly believe in the possibility of developing projects that not only meet the needs of today but also create solutions for tomorrow—solutions that respect the environment and improve quality of life.

"Spaceship to Infinity" therefore symbolizes the challenge every company must face: to be ready to soar, to innovate, to overcome resistance and headwinds in order to bring something greater to life.

In a world that is changing rapidly, art becomes the force that drives us to think differently, to look beyond, and to unleash our creativity in every aspect of our work—even in sectors that may seem far removed from the artistic world, such as our own.

Index



6

Company Profile

9

Our core line



11

Rodents

12

Eko System

29

Glue traps

32

Traps

34

Bait stations

38

Baits



41

Arthropods

44

UV Light traps | Led

46

UV Light traps | Industrial

49

UV Light traps | Commercial

52

UV Light traps | Ho.Re.Ca.

54

UV Light traps | Glue boards

56

UV Light traps | Uv lamps and accessories

60

Glue traps | Crawling insects

62

Glue traps | Foodstuff insects

65

Traps | Fly traps

67

Traps | Processionary

68

Organic products



73

Birds



77

Wild animals



81

Equipment

84

INFO

84

Legend of symbols

85

Alphabetical index of products

86

General conditions of sale



Pest Management Specialists
with a strong green identity



Company Profile

Who we are

Founded in 2001 with the aim of promote the use of the innovative system of ecological rodent control Ekomille, Ekommerce is, over time, to carve out a role of prestige in the market of *Pest Management* by promoting the culture of disinfestation responsible for the protection of the environment and animal welfare.

Today Ekommerce is a point of reference of the category market where it operates as a company specialized in development and marketing of solutions for *Pest Management*, disinfestation and disinfection of civil, industrial and Zootechnical.

What we do

We produce product lines for the monitoring and control of rodents and flying insects such as the **Ekomille** (rodent control device), the **Klight** UV traps, the traps and glueboards **Tak** and **Flux**.

Our offer consists of a complete range of specific solutions for the disinfestation, disinfection and rodent control.

Our customers

The expectations and needs of our customers have a decisive influence on the quality of our products and our services that, for this reason, reflect always very **high standards**.

Our lines are produced with materials of high quality and with an eye always focused on environmental protection.

With the aim of offering our customers services as well as products and promoting the culture of Made in Italy, we also made private label productions.

Ekomille: our showpiece

Ekomille, today the protagonist of a whole line of products, is a unique device of its kind.

Perfect combination of technology and sustainability, it guarantees an ecological rodent control and at the same time an optimization of time of inspection on sites of pest control operator thanks to remote control.

With the recent launch of Ekomille CO₂ and Ekomille Z on the market, integrated devices featuring an animal-friendly suppression system, the product line not only reaches its completion but also takes an important step forward in promoting a culture of animal welfare.

With the first Ekomille, we managed to propose an alternative to the traditional methods of rodent control introducing, for the first time in the panorama of Pest Control, the concept of **ecological rodent control and animal friendly**.

The solution we offer in product terms answer, anticipating its features, to a cultural change that is taking place. The introduction of Ekomille into the market has provided pest control professionals with an opportunity: to add value to their work through a more technical service and a system capable of monitoring the results achieved.

Our Values

Reliability

We have been active in the *Pest Management* market for over 20 years. Over time, we have expanded and developed our range of products to better meet the needs of our customers. Ensuring high-quality service through constant attention to customer satisfaction is the goal that each of us pursues every day with passion and determination.

Competence

People, their skills, in a word human capital, they represent our driving force, the bet we choose never to give up.

This value translates into services consulting and training regularly active and available of our customers with the purpose of optimizing their performance and make them autonomous in the management of interventions.

Innovation

As part of the strategies aimed at encouraging the evolution of innovative solutions with high technological value, there is the value attributed to scientific research, for us, an essential pillar.

This is the foundation for the development of our core products, now internationally recognized as products of excellence.

Sustainability of environmental

If it is true that the concept of environmental education has begun to take hold already in the last decades of the old millennium, it is equally true that introducing it in the general market and in the pest control market in particular was a brave undertaking in which only a few have come across it. In 2001, in advance for the times, we were able to propose an alternative to traditional rodent control methods by introducing, for the very first time, the concept of ecological and animal friendly rodent control.



Our Staff



Ilaria Casalanguida
Director & Export Manager



Marino Marino
Product Manager



Giuseppe Spina
Technical Manager



Fabio Nativio
Sales Manager



Miriam Berardinelli
Marketing Communication Manager



Anna di Paolo
Sales Assistant



Antonella di Iullo
Customer Care



Maria Pasquini
Accounting



Giuseppe Altieri
Quality and Regulatory Manager



Gianluca D'Onofrio
Warehouse Manager



Mario Laudadio
Technical Service



Giuseppe De Francesco
Warehouse Manager



Giuseppe Pagliani
Retail Pest Control Consultant

Our offices and our distributors

Besides working closely together with our direct offices located in Spain and Romania, we are present on the international market thanks to consolidated partnerships with the most important distributors in Europe, America, Africa, Asia and Oceania. This has allowed us, over time, to greatly enlarge our presence area and above all of strengthen the good name of *Made in Italy* in the international market.

ITALY

Ekommerce Srl
Via Venezia, 18 - 66041 Atessa (CH)

Our partners

SPAGNA

Ekommerce PCE
C/Niquel, 17
Pol. Ind. La Ermita 29063
Marbella, Màlaga

ROMANIA

Ekommerce Est
Calea Republicii
n. 157C Bacau

Global Distributors

Australia
Belgium
Brunei
Bulgaria
Caribbean
Chile
China
Colombia
Croatia
Estonia
Philippines
France

Germany
Japan
United Kingdom
Greece
Hong Kong
India
South Korea
Kuwait
Lebanon
Malaysia
Malta
Morocco

Netherlands
Portugal
Slovakia
Serbia
Singapore
Slovenia
United States
South Africa
Sweden
Switzerland
Hungary
Venezuela

Our core lines



Sistema Eko is the line of products and accessories related to the **Ekomille** world, the electromechanical equipment for the continuous and effective capture of all species of synanthropic rodents and number one in the market of ecological rodent control. The products of the line are designed to optimize the use of devices, harmonizing their presence in green spaces and protecting them from any tampering when employed in public areas.



Ekontrol, co-star with Ekomille of the Eko System line, is the device universal that allows you to remotely control all rodent control devices in a simple and immediate way. Continuous data monitoring related to catches and detection of any rodent passages allows to manage the rodent control stations efficiently and in real time reducing the interventions on sites by the operators. It can be used, as well as with the rodent devices of Eko System, in synergy with all the rodent devices on the market including multi-capture traps and safety stations or in *stand-alone* mode.



Tak is a line of glueboards and glue traps for the control of insects and rodents pests, entirely produced by Ekommerce. The technical word "tack", from which the name of the brand originates, translates the ability of a glue to adhere to an object even through pressure very light. The choice to associate the line name with this feature follows the choice of field made by Ekommerce: guarantee high quality standards and bring high the name of *Made in Italy*.



UV light traps are the most used tool for monitor pest flies and other types of flying insect populations in areas of food production and preparation. Scientific studies have shown that the color of glue panels has a strong impact on the effectiveness of traps. After years of research, **Flux** is born, the new line of gluetraps for UV traps, unique and patented, capable of attract and trap up to 180% more flies and other flying insects than other yellow glueboards of the same size.



Launched in the market of Pest Control to complement and improve our range of ecological products with low environmental impact, the line of UV traps **Klight** is today a benchmark in the category market. The line, produced and distributed by Ekommerce, guarantees the quality of *Made in Italy* combining the values of research and development, environmental sustainability and design. Composed of three different collections, each designed for a specific target, Klight meets the needs dictated by the regulations in force to ensure safety and hygiene in the environments of the Ho.Re.Ca. channel., in the food industries, processing areas, workplaces and in environments at risk of explosion.



Our offering

With the aim of offering a complete range of solutions and customized programs based on the needs and peculiarities of our customers, our offer includes market-leading products of which we are distributors. In fact, there are numerous partnerships with the best players on the market, built with the aim of guaranteeing standards of excellence for our customers.





EKOMILLE

Electromechanical rodent pest management device

Technical features

Material: ABS, PP, PPS, stainless steel and brass
Dimensions: L 330 x W 440 x H 630 mm

Strengths




Toxic-free • No dispersion of carcasses
• Safe for food, non-target animals, children and work places • Automatic counting captures • Humane capture option • Human suppression system available

Target pests

-  Gray rat
-  Black rat
-  House mouse

Kit supplied

Ekofood 100 bait kit (code APGR03) • Collection shovel (code APG023) • Disposable gloves and carcass disposal bag



The diagram illustrates how Ekomille works: the rodent is attracted by natural food baits, climbs the ramp, touches the lever sensor, and activates the device, causing it to fall into the lower section.



Application



Code	Product	Packaging
2001	EKOMILLE	1 PC



ekomille

A continuous electromechanical device for capturing synanthropic pest rodents



The result of over **20 years of experience** in the field, Ekomille was designed after careful observation of the biology and ethology of rodents. **Undisputed number one in the ecological rodent control market.** Ekomille is, in addition, the first patented capture device for rodents from **an ecological and animal friendly perspective.**

Thanks to its characteristics, it allows **hygienic, safe and environmentally friendly rodent control.**

ECOLOGICAL

Ekomille performs its function without the use of chemical baits. There is not dispersion of persistent poisonous substances, toxic and bioaccumulative. It preserves the health of humans, non-target animals (both domestic and wild) and the environment.

SAFE

By retaining the carcasses in the bucket, it guarantees safe and hygienic control of rodents, preventing the risk of spread serious pathogenic microorganisms deriving from the dispersion of poisoned carcasses.

Where the Ekomille rodent control system can be used?

1. Food companies
2. Animal husbandry
3. Municipalities
4. Hospitals, private clinics and welfare organizations
5. Companies with personnel presence
6. Residential and public contexts frequented by children

ANIMAL FRIENDLY

Ekomille was born as a capture system. The suppression of the pest is an optional choice of the exterminator. In fact, it is possible to carry out live captures, without causing any stress or pain to the trapped rodents. Its integrated mechanics, without adding any liquid inside the tank, allows animals to be retained which, at a later time, can be released in nature.

HOW DOES IT WORKS



1. FOOD PRIMING

The device is positioned off within the infested area



The "explorer" rodent, are attracted by the food baits positioned in the bait compartments and in the manger



Once checked the device and no danger is found, the "explorator" rodent mark the way, and define Ekomille such the new refreshment point for the colony



This first stage is essential. It is therefore important to choose the most suitable attractants based on various factors such as:

- rodent species
- level of infestation
- environment to be reclaimed



2. CAPTURE OF RODENT

Once the exploration phase of the "explorer" rodent has taken place, the operator can turn on the Ekomille which transforms from a bait dispenser into a capture device



After switching on the device, whenever the target pest tries to feed from the central feeder, it activates the electromechanical mechanism and the capture takes place



3. COLLECTOR OF CARCASSES

The rodent carcasses are contained within the lower section of the device, ensuring safe and hygienic management of captured pests.



EKONTROL

Integrated remote control system for monitoring pest rodents

It can be installed on Ekomille, Ekologic devices, on multi-catch traps and on safety dispensers, or placed near sensitive places, when used only to detect the passage of pests

Technical features


Material: ABS and electronic components
Dimensions: L 100 x W 55 x H 30 mm
Composition: Integrated Ekontrol HW hardware system and Ekontrol SW software application with dedicated webserver

Target pests

-  Gray rat
-  Black rat
-  House mouse

Strengths

Cloud-based monitoring · Cross-platform compatibility (PC, laptop, tablet and smartphone) · Activity detection system · Real-time system diagnostics (power status, battery levels, capture data) · Data export capability · Automated email alerts



Application



Code	Product	Packaging
8551	EKONTROL	1 PC
8551B	RECHARGEABLE BATTERY	1 PC
8551CD	DOUBLE BATTERY CHARGER	1 PC
8551CQ	QUADRUPLE BATTERY CHARGER	1 PC



ekontrol

REMOTE MONITORING AND CONTROL



Universal device that allows you to remotely check the rodent management stations in a simple and immediate way without the use of external central units

The system is composed of **detection devices** and a web app designed for the continuous collection and monitoring of acquired data. Ekontrol enables efficient, real-time management of rodent control stations, significantly optimizing field operations for on-site personnel.

Ekontrol can be used in synergy with all rodent control devices on the market. Its use is indicated when it is necessary to carry out rodent control inspection but also simply to detect the presence of pest rodents.

In fact, it is possible to use it inside traps, safety dispensers or use it stand-alone.

REMOTE OPERATIONS YOU CAN PERFORM WITH EKONTROL

1

Assign



Organize your sites and assign Ekontrol directly from your PC, tablet or smartphone

2

Place



Install Ekontrol on your rodent control stations or monitoring devices in sites

3

Check



It ensures continuous monitoring of data relating to catches and detection of the passage of rodents through notifications


4

Verify




Create custom reports and monitor Ekontrol status via simple and intuitive interface

HOW TO USE EKONTROL



Bait box station

Check the efficiency of baits



Multiple catch trap

Counts catches



Ekomille

Track the catches automatically



Ekologic

Check and count detections



Stand alone

Freely place it and detect passages



EKOMILLE RC

Electromechanical rodent management device with integrated hardware and remote-control software

Technical features

Material: ABS, PP, PPS, stainless steel, brass and electronic components
Dimensions: L 330 x W 440 x H 630 mm

Target pests

-  Gray rat
-  Black rat
-  House mouse

Strengths

Toxic-free • No dispersion of carcasses
• Safe for food, non-target animals, children and work places • Automatic counting captures • Humane capture option
• Human suppression system available
• Cloud-based monitoring • Cross-platform compatibility (PC, laptop, tablet and smartphone) • Remote activation
• Reduced site visits • Automated email alerts • Data export capability

Kit supplied

Ekofood 100 bait kit (code APGR03) • Collection shovel (code APG023) • Disposable gloves and carcass disposal bag

Please note:

two rechargeable batteries are required. These are not supplied with the kit. dicitura da inserire in Ekomille RC



Pest rodents access the feeder through ladders equipped with bait compartments that serve to start the baiting phase.



The lever on the device has a dual function: to count the number of catches and to reload the spring mechanism.



Application



Code	Product	Packaging
2005	EKOMILLE RC	1 PC
8551B	RECHARGEABLE BATTERY	1 PC
8551CD	DOUBLE BATTERY CHARGER	1 PC
8551CQ	QUADRUPLE BATTERY CHARGER	1 PC



Devices for the continuous capture of pest rodents integrated with a remote control system



Ekomille RC, the upgraded version of Ekomille, enables remote and real-time management of rodent control operations. By combining Ekomille's continuous-capture features with advanced remote monitoring capabilities, Ekomille RC becomes the most advanced and reliable solution for the continuous capture of mice and rats.



ECO-FRIENDLY AND HYGIENIC

The use of natural attractants, along with the prevention of carcass dispersion, helps preserve environmental health.



SAFE

The absence of poisons and toxic substances makes the use of Ekomille RC safe for children and non-target animals.



REMOTE-MANAGEABLE

Fully manageable remotely via a dedicated web platform to:



Activate or deactivate the device



Check the battery status



Check the alarms



Count the catches and passages of rodents



VALUE TO YOUR WORK

A further benefit deriving from the use of Ekomille RC is the enhancement of the intervention of the operator who, through the integrated control system thanks to which it is possible to monitor the results of his work, expresses his technical potential, in terms of image and competence professional.



HOW DOES IT WORKS



The device is positioned within the area of interest and activated by placing the switch in ON mode



In this stage, Ekomille is in monitoring mode, i.e. it gives indication of access to the machine every time a rodent goes to the main manger and feeds on the baits available



Once the initial phase has been completed and the consumption of baits from the main feeder has been ascertained, through the reports obtained thanks to the management platform, the operator can remotely activate the catches. At this point the bait dispenser device turns into a capture system



The management system is updated in real time both in case of passage and capture



It allows you to remotely monitor:

1. battery status
2. any jamming of the trapdoor
3. any overturning of the device



If the function is enabled, send a notification, by mail, for each pass or catch made



EKOMILLE CO₂

Electromechanical rodent management device with integrated carbon dioxide euthanasia system

Technical features

Material: ABS, PP, PPS, stainless steel, brass and electronic components
Dimensions: L 330 x W 440 x H 630 mm

Strengths

Toxic-free • No dispersion of carcasses
• Safe for food, non-target animals, children and work places • Automated counting captures • Rapid and painless pest suppression (within 60 seconds)

Target pests

-  Gray rat
-  Black rat
-  House mouse

Kit supplied

Ekofood 100 bait kit (code APGR03) • Collection shovel (code APG023) • Disposable gloves and carcass disposal bag

Number of registration

Biocide No. IT 2022/00792/AUT.

For registration numbers valid in EU countries, please refer to the ECHA website.



The CO₂ cylinder contains food-grade carbon dioxide. The amount of CO₂ allows you to make up to a maximum of 10 captures.



The delivery mechanism allows for a calibrated release of carbon dioxide (CO₂) in the lower section of the Ekomille.



Application



Code	Product	Packaging
2002	EKOMILLE CO ₂	1 PC
2020	CARBON DIOXIDE CYLINDER	12 PCS



ekomille 

Electromechanical device for the management of pest rodents, integrated with a quick and painless suppression system with carbon dioxide



Combines the extraordinary capabilities of Ekomille with **a rapid and infallible suppression system that exploits the biocidal potential of carbon dioxide.**

WHAT YOU NEED TO KNOW ABOUT EKOMILLE CO₂

Ekomille performs its function without the use of chemical baits. The absence of the dispersion of persistent, toxic, and bioaccumulative harmful substances helps protect the health of humans, non-target animals (both domestic and wild), and the environment.

1 With Ekomille CO₂ the death of pest rodents occurs in an unconscious state and within less than a minute. Ekomille CO₂ combines the extraordinary capabilities of Ekomille with a rapid and infallible suppression system that leverages the biocidal potential of carbon dioxide.

2 Ekomille CO₂ is considered a low-risk biocide-rodenticide, as it contains food-grade carbon dioxide, the same used in the production of mineral waters and carbonated beverages.

3 Ekomille CO₂ does not contribute to increasing carbon dioxide in the atmosphere. Instead, it utilizes volcanic CO₂ naturally produced by the planet to humanely and rapidly suppress potentially harmful rodents without causing any suffering.

4 Ekomille CO₂ is the most efficient system for the capture and painless suppression of rodents worldwide. The use of carbon dioxide for the euthanasia of rodents is widely documented in the international scientific literature and is already included in the current EU legislation.



HOW DOES IT WORKS



The rodent, attracted by food baits, enters to consume them



When it touches the sensor located near the main manger, the trap-door is activated and the capture takes place.



After the capture, the electromechanical system delivers a flow of carbon dioxide in the lower section where the Ekofix 100 solution is brought to level, with the function of:



1. cushion the fall of the rodent
2. reduce the volume of atmosphere to be saturated with CO₂
3. odor control



In the lower section an atmosphere is created with a concentration of carbon dioxide higher than 60%



The carbon dioxide delivered allows for rapid rodent suppression and *animal welfare*



The period of time from the moment the rodent is captured and its death is about 30 seconds, in any case never exceeding 60 seconds



EKOMILLE Z

Electromechanical rodent management device with integrated electrocution euthanasia system

Technical features

Material: ABS, PP, PPS, stainless steel, brass and electronic components
Dimensions: L 330 x W 460 x H 630 mm

Strengths

Toxic-free • No dispersion of carcasses
• Safe for food, non-target animals, children and work places • Automatic counting captures • Rapid and painless pest suppression

Target pests

-  Gray rat
-  Black rat
-  House mouse

Kit supplied

Ekofood 100 bait kit (code APGR03) • Collection shovel (code APG023) • Upper ladder cover kit (code APGR10) • Feeding box spacer (code APG148) • Disposable gloves and carcass disposal bag



Ekomille Z is equipped with a safety stair cover kit. It has the function of protecting the central corridor from tampering and accidental touches. It also reduces access to rodents only and limits that of non-target animals.

The suppression chamber is equipped with three metal plates through which an electric shock is conducted simultaneously. This prevents the risk of escape and ensures the suppression of the rodent.



Application



Code	Product	Packaging
2006	EKOMILLE Z	1 PC



Devices for management and continuous captures of rodent pests Integrated with suppression system fast and painless with electrocution



Ekomille Z guarantees, just like Ekomille **CO2**, an **animal friendly suppression of the target rodents**. Introduced to the Pest Control market in 2022, it completes Ekomille's new animal-friendly line, created to meet the need to protect animal welfare, **safeguarding them from pain and suffering**

WHAT YOU NEED TO KNOW ABOUT EKOMILLE Z

Ekomille performs its function without the use of chemical baits. The absence of the dispersion of persistent, toxic, and bioaccumulative poisons protects human health, non-target animals (both domestic and wild), and the environment

- 1 Pest rodents are suppressed through electrocution, classified among the methods of humanitarian suppression.
- 2 Death occurs within a maximum period of two minutes and in a state of unconsciousness determined by brain death which precedes the definitive one due to cardiac arrest.
- 3 The device is equipped with an effective protection system that guarantees the safety of the operator.
In particular, a specific cover on the ladder that prevents access to hands and non-target animals, micro plugs on the roof that prevent the device from working when not closed correctly and a system that inhibits its activation when not positioned properly.
- 4 Respecting animal welfare by ensuring a death free from suffering and distress, while complying with international regulations: these are the goals Ekocommerce has pursued through the latest upgrade of Ekomille



HOW DOES IT WORKS



The rodent, attracted by food baits, enters to consume them



Along the corridor that crosses to reach the central manger there are 3 metal plates, conductors of electricity



The electrocution is activated only after contact with the sensor, located near the main manger



Electricity is conducted through all three plates simultaneously. This avoids the risk of escape and ensures the killing of the rodent



The suppressed rodent is collected in the bucket. The Ekofix 100 present in the same allows you to control of bad odors



Thanks to the presence of four "suppression rooms", after the rotation of the impeller that allows the positioning of the suppressed rodent in the bucket, the device is immediately ready for a new capture



Sustainability
is a matter
of etiquette



Rodent control, done with heart

ekomille line

Eco-friendly devices for the continuous capture of invasive synanthropic rodents, featuring smart technology and animal welfare standards





EKOLOGIC

Device for baiting and monitoring synanthropic rodent infestations

Technical features

Material: ABS, PP, PPS and nylon
Dimensions: L 330 x W 440 x H 370 mm

Target pests

 Gray rat
 Black rat
 House mouse

Strengths

Toxic-free • Efficient attractant formula



Application



Code	Product	Packaging
APGA05B	EKOLOGIC	1 PC



EKOPARK

Inspectable wooden cover for Eko System rodent control devices

Technical features

Material: aluminium and wooden slats
Dimensions: L 490 x W 600 x H 700 mm

Target pests

 Gray rat
 Black rat
 House mouse

Strengths

Complements aesthetics of urban environment • Anti-theft, anti-tampering and anti-vandalism design

Kit supplied

Heavy-duty combination lock



Application



Code	Product	Packaging
4177	EKOPARK	1 PC



EKOBOX

Inspectable steel cover for Eko System rodent control devices

Technical features

Material: powder coated steel
Available dimensions:
Ekobox (A): L 410 x W 550 x H 735 mm
Ekobox (B): L 410 x W 520 x H 380 mm
Available colours: green, cream

Target pests

 Gray rat
 Black rat
 House mouse

Strengths

Quick-access inspection door
• Anti-theft, anti-tampering and anti-vandalism design

Kit supplied

Heavy-duty combination lock



Application



Code	Product	Packaging
2003E	(A) EKOBOX CREAM COLOR	1 PC
2004E	(A) EKOBOX GREEN COLOR	1 PC
5027	(B) EKOBOX CREAM COLOR	1 PC
5028	(B) EKOBOX GREEN COLOR	1 PC



EKOFIX 100

Concentrated deodorising liquid

Poured into the tanks of the Eko System rodent control devices, it performs a sanitising and deodorising function

Technical features

Composition: mixture of alcoholic components and co-formulants

Target pests

-  Gray rat
-  Black rat
-  House mouse


Strengths

Advanced Odor neutralisation

Dosage

Dilute 5 L of Ekofix 100 in 13 L of water

Code	Product	Packaging
2012	EKOFIX 100 TANK 5 L	3 PCS



UPPER LADDER COVER KIT

Safety cover for the corridor (suppression chamber) of Ekomille Z

Applicable on all models of the Ekomille product line and is recommended for installation in sensitive environments

Technical features

Material: ABS plastic
Dimensions: L 107 x W 77 x H 189 mm
kit composition:
N. 1 upper ladder cover
N. 1 transparent ladder cover
N. 6 fixing stickers

Target pests

-  Gray rat
-  Black rat
-  House mouse

Strengths

Sensor protection from accidental contact with detection mechanisms
• Prevents non-target species from entry
• Tamper-proof design

Code	Product	Packaging
APGR10	UPPER LADDER COVER KIT	1 PC



FEEDING BOX SPACER

Anti-jamming spacer system

Its function is to keep the rodent inside the rotation axis of the impeller. The purpose is to prevent jamming, especially in the case of house mouse infestations

Technical features

Material: ABS plastic
Dimensions: L 74 x W 21 x H 23 mm

Target pests

-  Gray rat
-  Black rat
-  House mouse

Strengths

Anti-jamming mechanism

Code	Product	Packaging
APG148	FEEDING BOX SPACER	1 PC

EKOUP



EKOSIDE

EKOUP & EKOSIDE

Specific suspension system for the Eko System rodent control devices

Ekoop is used to position the devices at height in case of black rat monitoring/control. Ekoside is used to secure the Ekoop to the wall

Technical features

Material: Painted steel tubular
Dimensions Ekoop:
L 350 x W 360 x H 850 mm
Dimensions Ekoside:
L 150 x W 340 x H 100 mm
Available colour:
Cream

Target pests

 Black rat

Strengths

Black rat specialisation

Code	Product	Packaging
APGA07	EKOUP	1 PC
APGA09	EKOSIDE	1 PC

EKOSHIP

Specific carrying handle for the Eko System's rodent control devices



Technical features

Material: ABS plastic
Dimensions: L 500 x W 280 mm

Target pests

 Gray rat
 Black rat
 House mouse

Strengths

User-friendly design · Reliable mounting system

Code	Product	Packaging
APGA01	EKOSHIP	1 PC

EKONET & BAGS

Complete kit for collecting murid carcasses consisting of a professional scoop and bags



Technical features

Material Ekonet: stainless steel frame, nylon fibre mesh, galvanised steel extensions
Bag material: plastic
Frame dimensions: L 260 x W 200 mm
Modular extension dimensions: L 270 mm

Target pests

 Gray rat
 Black rat
 House mouse

Strengths

Safe carcass collection · The size of the scoop to fit the collection tank allows for quick and hygienic emptying

Code	Product	Packaging
APGA13A	EKONET	1 PC
3281	DISPOSABLE BAGS	5 PCS



COLLECTION BASKET AND HANDLES

Murid carcass collection kit consisting of basket and handle

Technical features

Material: stainless steel
Basket dimensions: L 355 x W 267 x H 50 mm,
grid 5 mm
Handle dimensions: H 350 x Ø 8 mm

Target pests

 Gray rat
 Black rat
 House mouse

Strengths

Single-step collection • Basket collection system for rapid, secure carcass disposal
• Ergonomic design • Field-proven utility

Code	Product	Packaging
8679A	COLLECTION BASKET	1 PC
8679B	COLLECTION BASKET HANDLE	1 KIT



EKOWAS

Multipurpose container for the transport and temporary storage of murid carcasses

Technical features

Material: polypropylene
Dimensions: L 400 x W 300 x H 260 mm
Capacity: 25 L
Available colour: yellow

Target pests

 Gray rat
 Black rat
 House mouse

Strengths

Sustainable design • Airtight transport system

Code	Product	Packaging
7003	EKOWAS	1 PC



EKOWORK

Canister for the safe recovery, storage and transport of used deodorising liquid solution

Technical features

Material: HDPE plastic
Dimensions: L 570 x W 370 x H 280 mm
Capacity: 36 L

Target pests

 Gray rat
 Black rat
 House mouse

Strengths

Multi-purpose application • Safety-certified • Enhanced mobility with removable handle and transport wheel
• Ergonomic lifting with central handle for balanced weight distribution • Space-efficient • Dual-access design - for filling and drainage (Ekofix 100 code 2012)

Code	Product	Packaging
7004	EKOWORK	1 PC



EKOFIT

Spare parts box for all Eko System rodent control devices

Contains everything needed for first level maintenance and repair of the devices in the line

Technical features

Material: plastic

Dimensions: L 550 x W 250 x H 280 mm

Strengths

Practical and easy to handle

Content

Feeder partition	5 PCS
Lower ladder	1 PC
Hatch stop gasket	3 PCS
Large feed holder	1 PC
Battery	3 PCS
Small feed holder	1 PC
Charging lever	3 PCS
Feeder	1 PC
Charging lever seeger	5 PCS
Movable wall	1 PC
Sensor slat	3 PCS
Left cover	1 PC
Fixing pin	10 PCS
Right cover	1 PC
Rotor shaft screws	10 PCS
Sunflower seeds 500 g	3 PC
Rotor shaft bushings	10 PCS
Animal fat bag 30 g	5 PCS
Plastic hatch door screw	10 PCS
Pine nut bag 15 g	5 PCS
Nut for hatch door shaft screws	10 PCS
Disposable gloves	6 PCS
Complete upper ladder	1 PC

Code	Product	Packaging
3282	EKOFIT	1 PC

EKOFOOD

Natural baits with high attractiveness and long shelf life

Code	Product	Packaging	Content	Target pests
APGR03	EKOFOOD 100	BAG 675 g	SUNFLOWER SEEDS, ANIMAL FAT, PINE NUTS	<i>Rattus rattus</i> , <i>Rattus norvegicus</i> , <i>Mus musculus domesticus</i>
APG107	EKOFOOD 100/GM	BAG 50 g	ANIMAL FAT	<i>Rattus norvegicus</i>
APG108	EKOFOOD 100/SG	BAG 600 g	SUNFLOWER SEEDS	<i>Rattus rattus</i>
APG109	EKOFOOD 100/PI	BAG 25 g	PINE NUTS	<i>Mus musculus domesticus</i>
8493	EKOFOOD 105/F	BUCKET 2 kg	RED STRAWBERRY GROUNDBAIT WITH CEREALS	<i>Rattus rattus</i> , <i>Rattus norvegicus</i> , <i>Mus musculus domesticus</i>
8193	EKOFOOD 105/A	10 BAGS of 500 g	CERTIFIED 999 HERRING MEAL	<i>Rattus rattus</i> , <i>Rattus norvegicus</i> , <i>Mus musculus domesticus</i>
8194	EKOFOOD 105/M	10 BAGS of 500 g	CERTIFIED 999 HERRING MEAL AND SEED MIX	<i>Rattus rattus</i> , <i>Rattus norvegicus</i> , <i>Mus musculus domesticus</i>
8195	EKOFOOD 105/C	10 BAGS of 300 g	WHOLE MAGGOTS GREASED WITH FISH OIL	<i>Rattus rattus</i> , <i>Rattus norvegicus</i>
8230	EKOFOOD 100/P	BUCKET 2 kg	SUNFLOWER SEED PELLETS, PINE NUTS, ANIMAL FAT	<i>Rattus rattus</i> , <i>Rattus norvegicus</i> , <i>Mus musculus domesticus</i>



EKOMILLE SPARE PARTS

Code	Product	Packaging
7007	EKOBLOCK (GROUND ANCHORING SYSTEM)	1 PC
APG001	ROOF	1 PC
APG002	UPPER SECTION	1 PC
APG005	LOWER SECTION (BUCKET)	1 PC
APG008	LEFT COVER	1 PC
APG009	RIGHT COVER	1 PC
APG010	BIG MANGER	1 PC
APG011	SMALL MANGER	1 PC
APG012	MAIN MANGER	1 PC
APG013	MANGER PARTITION	1 PC
APG014	PARTITION	1 PC
APG015	BATTERY CAP	1 PC
APG020	LEFT TRAP DOOR OF UPPER SECTION EKOMILLE	1 PC
APG021	RIGHT TRAP DOOR OF UPPER SECTION EKOMILLE	1 PC
APG023	SHOVEL	1 PC
APG027	SOLENOID BOX COVER	1 PC
APG028	BATTERY SUPPORT	1 PC
APG041	AXIS BOX MECHANISMS	10 PCS
APG043	SAFETY LEVER PIN	1 PC
APG050	PULLEY	1 PC
APG078N	SENSOR BLADE	1 PC
APG083K	FIXING SCRIVET (PACK OF 10 PCS)	1 PC
APG086	ELECTRONIC CIRCUIT (SWITCH)	1 PC
APG088-R	COMPLETE MICROCONTACT KIT + THERMORETRAIBLE SHEATH	5 PCS
APG091	SPRING PULLEY	1 PC
APG098	UPPER SECTION SEAL	1 PC
APG099	TRAP DOOR STOP SEAL	1 PC
APG100	LEFT TRAP DOOR EDGE SEAL	1 PC
APG102	BATTERY COVER SEAL	1 PC
APG103	SOLENOID BOX SEAL	1 PC
APG148	MANGER PARTITION SPACER	1 PC
APGR01	LADDER KIT	1 PC
APGR04	INTERIOR SPARE PARTS KIT	1 KIT
APGR05	MECHANISMS BOX KIT (AXLE SCREW + MECHANISMS BOX AXLE + SAFETY LEVER) + MECHANISMS BOX + BENZING SAFETY LEVER + LARGE GEAR + DOG + DOG PIN + PULLEY + COUNTER GEAR + COUNTER PIN + SAFETY LEVER SPRING + DOG SPRING + PULLEY SPRING + TENS INDICATOR + APGS52 + APG043 + APG083)	1 KIT
APGR06	COMPLETE ASSEMBLY KIT (PARTITION + IMPELLER + ELECTRIC GROUP)	1 KIT
APGR07	SAFETY LEVER KIT (RELEASE LEVEL+GASKET+SPRING)	1 KIT
APGR10	UPPER LADDER COVER KIT	1 KIT
APGS03	UPPER LADDER INCLUDING LADDER INSERT	1 PC
APGS06	LOWER LADDER INCLUDING LADDER INSERT	1 PC
APGS08	ELECTRIC GROUP	1 PC
APGS12	MOVABLE WALL	1 PC
APGS13	COMPLETE IMPELLER	1 PC
APGS52	CHARGING LEVER + LOCKING SEEGER	1 PC





VASTRAP

Adhesive tray trap for mice and rats

It can be inserted into the dispensers of the Duo Control Station line (code 8038 - 7720) and can be covered with the special Tunnel (code 4383)

Technical features

Material: thermoformed plastic and flavoured glue
Dimensions: L 250 x W 120 mm
Available colours: white, black

Target pests

Gray rat
 Black rat
 House mouse

Strengths

Highly attractive • Humidity-resistant
• Temperature-adaptive adhesive

Application



Code	Product	Packaging
4382	BLACK VASTRAP	100 PCS
4382C	COLD BLACK VASTRAP	100 PCS
4385	WHITE VASTRAP	100 PCS
4385C	COLD WHITE VASTRAP	100 PCS

TUNNEL FOR VASTRAP

Protection for adhesive tray trap

The tunnel is used as a protection system for the Vastrap trap

Technical features

Material: thermoformed plastic
Dimensions: L 250 x W 120 x H 80 mm
Available colour: black

Strengths

• Dust-protected adhesive • Discreet operation



Code	Product	Packaging
4383	TUNNEL FOR VASTRAP	100 PCS



VASTRAP MIDI

Adhesive tray trap for mice and rats

It can be inserted into the dispensers of the Duo Control Station line (code 8038 - 7720) and other dispensers on the market

Technical features

Material: thermoformed plastic and flavoured
Dimensions: L 190 x W 120 mm
Available colour: white

Target pests

Gray rat
 Black rat
 House mouse

Strengths

Highly attractive • Humidity-resistant
• Temperature-adaptive adhesive

Application



Code	Product	Packaging
4386	VASTRAP MIDI WHITE	136 PCS
4386C	VASTRAP MIDI WHITE COLD	136 PCS





Product
NEW

RAT WOOD

Glue trap for mice and rats with hardboard support

Technical features

Material: hardboard support and flavoured glue
Dimensions: L 280 x W 190 mm

Target pests

Gray rat
 Black rat
 House mouse

Strengths

Highly attractive · Temperature-adaptive adhesive · Durable construction

Application



Code	Product	Packaging
3207	RAT WOOD	48 PCS
3207C	RAT WOOD COLD	48 PCS



PRIVATE
LABEL
Only for Proglue Mice

PROGLUE MICE AND PROGLUE MICE PLASTIC

Glue traps for mice and crawling insects

Can be used in synergy with the Ristoratrap dispenser (code 6030) and the Monitor trap for crawling insects and mice (code 8545)

Technical features

Material Proglue mouse: cardboard and flavoured glue
Material Proglue mouse plastic: plastic support and flavoured glue
Dimensions: L 254 x W 100 mm

Target pests

House mouse
 Crawling insects

Strengths

Highly attractive · Humidity-resistant
· Custom branding option

Application



Code	Product	Packaging
6004HG	PROGLUE MICE	100 PCS
6004HGP	PROGLUE MICE PRIVATE LABEL	*
6017	PROGLUE MICE PLASTIC	80 PCS



PRIVATE
LABEL

GLUE TWIN

Glue trap for mice and crawling insects

Can be used in synergy with the Twin Mouse traps (code 3020), Twin Plast (code 8118), the dispensers of the Duo Control Station line (code 8038 - 7720) and Alpha traps (code 8002)

Technical features

Material: cardboard and flavoured glue
Dimensions: L 254 x W 100 mm

Target pests

House mouse
 Crawling insects

Strengths

Multifunctional · Adjustable tunnel plate
· Aroma-enhanced adhesive
· Custom branding option

Application



Code	Product	Packaging
3135	GLUE TWIN	100 PCS
3135P	GLUE TWIN PRIVATE LABEL	*



* CUSTOMIZATION OPTIONS

OPTION A
OPTION B

Customization with four color logo on a white background
Customization with logo and four-colour background

MINIMUM ORDER QUANTITY

1000 PCS
5000 PCS



GLUE TWIN PLASTIC

Glue trap for mice and crawling insects

Can be used in synergy with the traps Twin Mouse (code 3020), Twin Plast (code 8118), the dispensers of the Duo Control Station line (code 8038 - 7720) and Alpha traps (code 8002)

Technical features

Material: tense plastic and flavoured glue
Dimensions: L 255 x W 100 mm

Target pests

House mouse
 Crawling insects

Strengths

Multifunctional · Humidity-resistant
· Aroma-enhanced adhesive

Application



Code	Product	Packaging
3136	GLUE TWIN PLASTIC	80 PCS

GLUE TWIN MAX

Glue trap for mice, rats and crawling insects

Can be used in synergy with the Twin Mouse traps (code 3020), Twin Plast (code 8118), the dispensers of the Duo Control Station line (code 8038 - 7720), the Evo Control Station dispensers (code 7500) and Hard Rat Inox (code 7081)

Technical features

Material: cardboard and flavoured glue
Dimensions: L 217 x W 135 mm

Target pests

House mouse
 Black rat
 Crawling insects

Strengths

Multifunctional · Adjustable tunnel plate
· High glue dosage · Aroma-enhanced adhesive

Application



Code	Product	Packaging
3137	GLUE TWIN MAX	100 PCS



GLUE TWIN DUO

Glue trap for mice and crawling insects

Can be used in synergy with the dispensers of the Duo Control Station line (Cod. 8038 - 7720) and other dispensers on the market

Technical features

Material: cardboard and flavoured glue
Dimensions: L 190 x W 130 mm

Target pests

House mouse
 Crawling insects

Strengths

Multifunctional · Aroma-enhanced adhesive · Custom branding option



Application



Code	Product	Packaging
3142	GLUE TWIN DUO	100 PCS
3142P	GLUE TWIN PRIVATE LABEL	*



* CUSTOMIZATION OPTIONS

OPTION A
OPTION B

Customization with four color logo on a white background
Customization with logo and four-colour background

MINIMUM ORDER QUANTITY

1000 PCS
5000 PCS





TWIN MOUSE

Multi-catch metal trap for mice and crawling insects

Can be used in synergy with the Glue Twin line of traps (code 3135 -3136 - 3137), with the Proglue line (code 6004HG - 6017) and with the Twin Block fixing system (code 8432)

Technical features

Material: galvanised steel

Dimensions: L 265 x W 158 x H 460 mm

Target pests

 House mouse

 Crawling insects


Strengths

One-way entry system

Application



Code	Product	Packaging
3021	TWIN MOUSE INSPECTIONABLE	12 PCS
3020	TWIN MOUSE NON-INSPECTIONABLE	12 PCS
8432	TWIN BLOCK	24 PCS



TWIN PLAST

Multi-catch plastic trap for mice and crawling insects

Can be used in synergy with the Glue Twin line of traps (code 3135 -3136 - 3137) and with the Proglue line (code 6004HG - 6017)

Technical features

Material: plastic

Dimensions: L 270 x W 170 x H 55 mm

Target pests

 House mouse

 Crawling insects

Strengths

One-way entry system • Clear inspection panel through translucent lid

• Corrosion-resistant • Humidity-resistant

Application



Code	Product	Packaging
8118	TWIN PLAST	12 PCS



MULTI-CATCH RAT

Multi-catch metal trap for mice, rats and crawling insects

Can be used in synergy with the glue traps of the Glue Twin line (code 3135 - 3136 - 3137)

Technical features

Material: galvanised steel

Dimensions: L 365 x W 160 x H 65 mm

Target pests

 Gray rat

 Black rat

 House mouse

 Crawling insects


Strengths

One-way entry system • Inspection window lid

Application



Code	Product	Packaging
3035	MULTI-CATCH RAT	12 PCS



RAT CAGE TRAP

Multi-catch cage trap for rats

Technical features

Material: galvanised steel
Dimensions: L 810 x H 310 mm
Mesh size: 19 x 19 mm
Weight: 1,7 kg

Target pests

 Gray rat
 Black rat

Strengths

Robust construction • User-friendly design • Secure containment with fine mesh

Application



Code	Product	Packaging
7161	RAT CAGE TRAP	1 PC



SNAP TRAP LINE

Models: SNAP MOUSE TRAP - SNAP RAT TRAP

Plastic snap trap line for mice and rats

They can be used synergistically with the dispensers from the Duo Control Station line (code 8038 - 7720) and Evo Control Station (code 7500)

Technical features

Material: plastic and steel
Dimensions Snap Mouse Trap:
L 104 x W 48 x H 67 mm (loaded)
Dimensions Snap Rat Trap:
L 143 x W 77 x H 92 mm (loaded)

Target pests

Snap Mouse Trap

 House mouse

Snap Rat Trap

 Gray rat
 Black rat

Strengths

Robust construction • Ergonomic design
• High-tension mechanism • Rapid pest suppression

Positioning

Place the trap with the "V" mouth against the wall or, when inserted into a safety dispenser, facing the walkway.



COVER

Technical features

Material: plastic
Dimensions cover Snap Mouse Trap:
L 145 x W 63 x H 80 mm
Dimensions cover Snap Rat Trap:
L 200 x W 93 x H 107 mm

Strengths

• Minimises risk to children and non-target species • Increases capture efficiency for effective control

Application



Code	Product	Packaging
8067M	SNAP MOUSE TRAP	24 PCS
8067R	SNAP RAT TRAP	24 PCS
8067MC	COVER FOR SNAP MOUSE TRAP	35 PCS
8067RC	COVER FOR SNAP RAT TRAP	20 PCS





DUO CONTROL STATION

Multifunctional safety dispenser

Suitable for synergic use with glue trap lines Vastrap (code 4382 - 4385) and Glue Twin (code 3135 - 3136 - 3137), the Snap trap line of rat and mouse traps (code 8067R - 8067M) and the Ekontrol device (code 8551)

Technical features

Material: reinforced polypropylene
 Dimensions: L 305 x W 162 x H 105 mm
 Entrance hole: Ø 50 mm
 Available colours: black, black with transparent roof, grey, transparent

Target pests

 Gray rat
 Black rat
 House mouse

Strengths

Quick-release tray · Integrated bait pins
 · Precision mounting system with 5 fixing points and wall template for accurate installation · Custom branding option
 · Transparent inspection roof (code 8060 - 8387)

Positioning

Multiple mounting options: wall, pole, floor.

Kit supplied

· Security key · Removable collection tray
 · Reinforced metal rod · Fixing support and related accessories

The dispenser compartment is compatible for synergistic use with Snap Trap rat and mouse traps (1), Vastrap glue traps (2), Glue Twin (3), and the Ekontrol device (4).



Application



Code	Product	Packaging
8038	DUO CONTROL STATION BLACK	12 PCS
8097	DUO CONTROL STATION GREY	12 PCS
8060	DUO CONTROL STATION BLACK TRANSPARENT ROOF	12 PCS
8387	DUO CONTROL STATION TRANSPARENT	12 PCS



DUO CONTROL STATION S

Multifunctional safety dispenser

Suitable for synergic use with the GT glue trap for mice and insects (code 8619), the Vastrap glue trap lines (code 4382 - 4385) and Glue Twin (code 3135 - 3136 - 3137), the Snap trap line of mice and rats traps (code 8067R - 8067M) and the Ekontrol device (code 8551)

Technical features

Material: reinforced polypropylene
Dimensions: L 305 x W 162 x H 105 mm
Entrance hole: Ø 50 mm
Available colours: black, black with transparent roof, grey, transparent

Target pests

-  Gray rat
-  Black rat
-  House mouse
-  Crawling insects

Strengths

- 10-slotted base for crawling insect access
- Removable raised tray for cleaning and GT glue trap insertion (code 8619)
- Integrated bait pins • Precision mounting system with 5 fixing points and wall template for accurate installation
- Custom branding option • Transparent inspection roof (code 7722 - 7723)

Positioning


Multiple mounting options: wall, pole, floor.

Kit supplied

- Security key • Removable collection tray
- Reinforced metal rod • Fixing support and related accessories



Equipped with 10 slots distributed along the entire perimeter



Customizable lid during the molding process




The raised inner tray allows for the insertion of the GT glue trap for mice and insects (code 8619)

Application



Code	Product	Packaging
7720	DUO CONTROL STATION S BLACK	12 PCS
7721	DUO CONTROL STATION S GREY	12 PCS
7722	DUO CONTROL STATION S BLACK WITH TRANSPARENT ROOF	12 PCS
7723	DUO CONTROL STATION S TRANSPARENT	12 PCS





HARD RAT STAINLESS STEEL

Safety dispenser

Indicated for rodent control interventions in areas with high risk of vandalism and tampering. Can be used in synergy with the Vastrap mouse trap (code 7090) and the Glue Twin line of glue traps (code 3135 - 3137)

Technical features

Material: stainless steel
Dimensions: L 300 x W 85 x H 80 mm
Entry hole: Ø 50 mm

Target pests

 Gray rat
 Black rat
 House mouse

Strengths

Robust construction • Anti-tamper hex-screw closure • Stainless steel construction resists breakage and tampering while containing bait

Positioning

Multiple positioning options: wall-mounted, floor mounted, or pole-mounted.

Kit supplied

Security key • Removable collection tray
• Fixing support accessories

Application



Code	Product	Packaging
7081	HARD RAT STAINLESS STEEL	10 PCS
7081C	HARD RAT ALLEN KEY	1 PC



EVO CONTROL STATION

Multipurpose safety dispenser

Can be used in synergy with the Vastrap mouse trap (code 7090), Glue Twin Max (code 3136) and Blatrap Mini glue traps (code 3213), with the Snap Trap line of snap traps for mice and rats (code 8067R - 8067M) and the Ekontrol device (code 8551)

Technical features

Material: polypropylene
Dimensions: L 235 x W 185 x H 110 mm
Available colours: black, black with transparent roof

Target pests

 Gray rat
 Black rat
 House mouse
 Crawling insects

Strengths

Multifunctional • Possibility of contextual monitoring/capture of rodents and crawling insects • Custom branding option

Positioning

Multiple installation methods: wall-mounted (using included bracket), floor-mounted (with silicone adhesive or mechanical fasteners), or pole-mounted (secured with cable tie).

Kit supplied

Security Key • Removable collection tray
• Reinforced metal rod • Fixing support accessories

Application



Code	Product	Packaging
7500	EVO CONTROL STATION BLACK	20 PCS
7501	EVO CONTROL STATION BLACK WITH TRANSPARENT ROOF	20 PCS





T-RAT

Inverted T safety dispenser

Technical features

Material: reinforced polypropylene
Dimensions: L 330 x W 75 x H 270 mm
Entrance hole: Ø 70 mm
Available colours: black, grey

Strengths

High resistance • Dual security screws to prevent unauthorised access
• Lid-mounted bait pin for inspection and reloading

Kit supplied

Tamper-proof Torx screws (lid fastening)
• Allen key with imprint • Wall-mounting kit (plug and screw set)

Target pests

-  Gray rat
-  Black rat
-  House mouse

Positioning

Dual mounting configuration: wall installation (includes anchor plugs) or pole installation (uses reinforced plastic strap).



The bait holder pin of the dispenser is attached to the lid to facilitate inspection and bait loading.

Application



Code	Product	Packaging
3005	T-RAT BLACK	25 PCS
8130	T-RAT GREY	25 PCS
3005C	ALLEN KEY FOR T-RAT	1 PC
8370	T-RAT LOCKING KIT	1 PC

FIXER KIT

Anchoring system for dispensers and traps

Technical features

Material: polypropylene, steel
Cable dimensions: 250 mm

Strengths

Adjustable anchor points for activation and cleaning • Universal compatibility (plastic, metal systems)

Positioning

The adhesive plate system includes two components: one affixes to the device, the other to the mounting surface. Secure anchoring is achieved by connecting them with the included cable hook.



Code	Product	Packaging
7714	FIXER KIT	10 PCS



CHECK POINT

Warning sign

Its function is to signal the monitoring stations for rodents and insects

Technical features

Material: rigid plastic (code 4316),
flexible adhesive plastic (code 5116)
Dimensions: L 160 x H 168 mm
Available colour: orange on white
background and black writing

Strengths

User-friendly design • Intuitive interface
simplifies intervention management
• Custom branding option

Positioning

Versatile mounting solutions:
wall, pole, or vertical surface
installation (adhesive-backed
option available).

Code	Product	Packaging
4316	CHECK POINT PVC	100 PCS
5116	CHECK POINT ADHESIVE	100 PCS
6032	CUSTOM CHECK POINT PVC	500 PCS
5117	CUSTOM CHECK POINT ADHESIVE	500 PCS



ROTAK SPRAY

Food attractant for rodents

Technical features

Composition: food flavourings
Available flavourings: hazelnut,
almond, cherry

Target pests

-  Gray rat
-  Black rat
-  House mouse

Strengths

Long-lasting attractant (30+ days)
• Toxic-free • Allergen-free

Instructions for use

Run 2-3 sprays on sensitive
surfaces.

Code	Product	Packaging
8670A	HAZELNUT FLAVOUR 100 mL BOTTLE	16 PCS
8670B	ALMOND FLAVOUR 100 mL BOTTLE	16 PCS
8670C	CHERRY FLAVOUR 100 mL BOTTLE	16 PCS

We believe in
REMOTE CONNECTIONS



Ekontrol is the universal device that allows **remote control** of rodent control operations and optimizes the use of resources by reducing the number of site inspections and interventions.

ekontrol 
REMOTE MONITORING AND CONTROL





**In the kitchen,
we don't want to hear even
a single fly buzzing!**

Line of
UV LIGHT TRAPS
for flying insect control

Klight
UV TRAPS



Klight

UV TRAPS



INDUSTRIAL



COMMERCIAL



HO.RE.CA.

Launched in the *Pest Management* market to integrate and enrich the range of ecological products with low environmental impact signed by Ekommerce, **the Klight line of UV light traps is today a point of reference for the market of this category.**

The line, produced in Europe by Ekommerce, ensures high capture performance thanks to the quality of the materials and components used.

Composed of three different collections, each of which designed for a specific areas, Klight responds to the needs dictated by the regulations aimed at guaranteeing safety and hygiene in the environments of the **Ho.Re.Ca. channel, in the food industries, in the processing areas, in the workplaces and environments at risk of explosion.**

THE FUTURE OF IPM IN THE FOOD INDUSTRY

The adoption of Integrated *Pest Management* (IPM) protocols in the food industry is increasingly widespread due to the need to significantly reduce chemical interventions for the control of infestations by flying insects. Among the monitoring systems most commonly used in food production and storage areas are light traps with adhesive plates. These exploit the positive phototropism of various arthropod species. Visual attraction significantly influences their behavioral responses. The contribution of scientific research to understanding the functioning and development of light devices has been significant and has also allowed the creation of applications of great interest in the food supply chain.

OPTIMIZING CAPTURE PERFORMANCE: TIPS FOR PROPER INSTALLATION



With the exception of specific models designed for use in outdoor and humid environments, it is generally advisable to use UV light traps indoors, taking care to install them at a height of about 2 m from the ground.



The number of traps should be appropriate for the company's needs and identified critical points. The system should be sized based on the square footage of the area to be protected.



The presence of obstacles between the device and the areas to be protected should be avoided as much as possible, ensuring that the light is visible from all points in the area.



The devices must operate continuously.




UV traps can be mounted (on the wall, at an angle, or on the ceiling) or placed as needed, using the provided accessories.



It is crucial to position the devices:

1. away from light sources that may create what is referred to as "light competition" (for example, above a door or a window).
2. in areas not visible from the outside, to prevent the emitted light from attracting non-target insects as well.



Application



LED LINE

FOOD LED

Technical features

FOOD 30 S material:

stainless steel

FOOD 30 W material:

white powder-coated steel

Dimensions: L 480 x W 85 x H 390 mm

UV lamps: 2 x T8 linear LED

Available colours: white, silver

Strengths

Compact design · Discreet and elegant design, effectively concealing trapped insects from the view of bystanders

· Quick and simple routine maintenance

· Reduced energy consumption

· Double LED system with patented diffusion technology · Ideal for sensitive environments at risk of contamination

· LED tubes with a lifespan of up to 3 years

Target pests

Winged insects

Spare parts



8078F 3501

Code	Product	Packaging
3443	FOOD LED	1 PC
8412	SUPPORT KIT	2 PCS



Application



WALL LED

Technical features

Material: powder-coated steel

Dimensions: L 515 x W 70 x H 250 mm

UV lamps: 2 x T8 linear LED

Available colours: black, white, blue, strawberry red, green, yellow, burgundy purple

Target pests

Winged insects

Strengths

Discreet and elegant design, effectively concealing trapped insects from the view of bystanders · Compact design

· Available in a variety of colour options to suit a wide range of environments

· Reduced energy consumption

· Double LED system with patented diffusion technology · Ideal for sensitive environments at risk of contamination

· LED tubes with a lifespan of up to 3 years

Spare parts



6064F 3501


Code	Product	Packaging
8635	WALL LED	1 PC



Don't replace your old lamps:
CONVERT THEM TO LED

KLIGHT UV equipment convertible to LED technology

Klight
UV TRAPS



PRO

Models: 30W/30S - 40W/40S - 80W/80S

Technical features

PRO 30S - 40S - 80S material:
stainless steel
PRO 30W - 40W - 80W material:
steel painted with white powders
Available colours: white, silver

Target pests

 Winged insects

Strengths

Multi-positionable: wall-mounted or suspended • Wide light diffusion
• Quick and easy routine maintenance
• Robust construction • Equipped with a protective grid for the tubes
• Available in a shatterproof version
• Option to choose the LED version for the PRO 30

Application



Code	Product	Packaging
5137	PRO 30S	1 PC
5139	PRO 40S	1 PC
5141	PRO 80S	1 PC
5136	PRO 30W	1 PC
5138	PRO 40W	1 PC
6140	PRO 80W	1 PC

PRO 30S

Dimensions:
L 471 x W 110 x H 295 mm
UV lamps: 2 x 15W
Coverage: 80 m²

Spare parts



5153F



7121

Available in versions



PRO 40S

Dimensions:
L 620 x W 110 x H 295 mm
UV lamps: 2 x 20W
Coverage: 125 m²

Spare parts



5154F



7122

Available in version



PRO 80S

Dimensions:
L 620 x W 110 x H 295 mm
UV lamps: 2 x 40W
Coverage: 250 m²

Spare parts



5154F



7123

Available in version



PRO 30W

Dimensions:
L 471 x W 110 x H 295 mm
UV lamps: 2 x 15W
Coverage: 80 m²

Spare parts



5153F



7121

Available in versions



PRO 40W

Dimensions:
L 620 x W 110 x H 295 mm
UV lamps: 2 x 20W
Coverage: 125 m²

Spare parts



5154F



7122

Available in version



PRO 80W

Dimensions:
L 620 x W 110 x H 295 mm
UV lamps: 2 x 40W
Coverage: 250 m²

Spare parts




5154F



7123

Available in version





PRO IP65

Models: 30S IP65 - 40S IP65 - 80S IP65

Technical features

Material: stainless steel
Available colour: silver

Target pests

 Winged insects

Strengths

Multi-positionable: wall-mounted or suspended • Wide light diffusion • Quick and easy ordinary maintenance
• Robust construction • Equipped with a protective grid for the tubes • Option to choose the LED version for the PRO 30S IP65

Application



Code	Product	Packaging
6139	PRO 30S IP65	1 PC
5140	PRO 40S IP65	1 PC
5142	PRO 80S IP65	1 PC

PRO 30S IP65

Dimensions:
L 516 x W 140 x H 300 mm
UV lamps:
2 x 15W shatterproof FEP
Coverage: 80 m²

Spare parts



5153F 7121SP

PRO 40S IP65

Dimensions:
L 680 x W 140 x H 300 mm
UV lamps:
2 x 20W shatterproof FEP
Coverage: 125 m²

Spare parts



5154F 7122SP

PRO 80S IP65

Dimensions:
L 680 x W 140 x H 300 mm
UV lamps:
2 x 40W shatterproof FEP
Coverage: 250 m²

Spare parts



5154F 7123SP

Available
in version

LED





FOOD 60

Technical features

Material: stainless steel
Dimensions: L 485 x W 95 x H 375 mm
UV lamps: 4 x 15W
Starter: 4 x series
Coverage: 180 m²
Available colour: silver

Target pests

 Winged insects

Strengths

Multi-positionable: suspended or free-standing · Compact design · Quick and easy routine maintenance · Wide coverage, thanks to its double-sided design · Available in a shatterproof version · Option to choose the LED version

Spare parts



6178ECG 7121

Application



Code	Product	Packaging
8620	FOOD 60	1 PC
8141	STAINLESS STEEL SUPPORT FOR FOOD 60	1 PC



ATEX 36

Technical features

Material: stainless steel, polycarbonate
Dimensions: L 800 x W 270 x H 220 mm
UV lamps: 2 x 18W
Coverage: 120 m²
Available colour: silver

Target pests

 Winged insects

Strengths

ATEX protection for gas and dust
· Robust and easy to install · Large coverage area · Available in a shatterproof version

Spare parts



5153F 8571

Application



Code	Product	Packaging
8449	ATEX 36	1 PC





OCEAN 30 IP66


Technical features

Material: stainless steel, polycarbonate
Dimensions: L 700 x W 120 x H 310 mm
UV lamps: 2 x 15W
Coverage: 80 m²
Available colour: silver

Strengths

IP66 protection in accordance with CEI EN 60529 • Suitable for humid and dusty environments • Available in a shatterproof version • Option to choose the LED version

Spare parts



5154F 7121

Target pests

Winged insects

Application



Code	Product	Packaging
8360	OCEAN 30 IP66	1 PC



RB 15

Models: RB 15S - RB 15W


Technical features

RB 15S material: stainless steel
RB 15W material: steel white powder-coated
Dimensions: L 496 x W 210 x H 136 mm
UV lamps: 1 x 15W
Coverage: 50 m²
Available colours: silver, white

Strengths

Multi-positionable • Wide light diffusion
• Quick and easy routine maintenance
• Compact design • Available in a shatterproof version • Option to choose the LED version

Spare parts



5152Y 7121



Target pests

Winged insects

Application



Code	Product	Packaging
7700	RB 15S	1 PC
7701	RB 15W	1 PC



RB 40

Models: RB 40S - RB 40W

Technical features

RB 40S material: stainless steel
RB 40W material: steel white powder-coated
Dimensions: L 630 x W 300 x H 134 mm
UV lamps: 1 x 40W
Coverage: 120 m²
Available colours: silver, white

Strengths

Multi-positionable • Wide light diffusion
• Quick and easy routine maintenance
• Available in a shatterproof version

Spare parts



5154F 7123

Target pests

Winged insects

Application



Code	Product	Packaging
8458	RB 40S	1 PC
8458W	RB 40W	1 PC





FOOD 30

Models: FOOD 30S - FOOD 30W

Technical features

FOOD 30S material: stainless steel
FOOD 30W material: steel white powder-coated
Dimensions: L 480 x W 85 x H 390 mm
UV lamps: 2 x 15W
Coverage: 80 m²
Available colours: silver, white

Target pests

 Winged insects

Strengths

Compact design • Discreet and elegant design, effectively concealing trapped insects from the view of onlookers
• Quick and easy routine maintenance
• Available in a shatterproof version
• Option to choose the LED version

Spare parts



8078F 7121

Application



Code	Product	Packaging
8119	FOOD 30S	1 PC
3440	FOOD 30W	1 PC
8412	SUPPORT KIT	2 PCS



DUPLO 45

Technical features

Material: steel white powder-coated
Dimensions: L 580 x W 65 x H 310 mm
UV lamps: 3 x 15W
Coverage: 120 m²
Available colour: white

Target pests

 Winged insects

Strengths

Compact design • Discreet and elegant design • Large glueboard size • Equipped with a dual system for inserting the board (from both the top and the sides)
• Available in a shatterproof version
• Option to choose the LED version

Spare parts




5154F 7121

Application



Code	Product	Packaging
8501	DUPLO 45	1 PC





ONDA 30

Technical features

Material: white powder coated steel
 Dimensions: L 480 x W 145 x H 280 mm
 UV lamps: 2 x 15W
 Coverage: 60 m²
 Available colour: white

Target pests

Winged insects

Strengths

Multi-positionable • Equipped with an adjustable cover • Versatile and discreet, effectively concealing trapped insects from the view of bystanders • Available in a shatterproof version • Option to choose the LED version

Spare parts



5153F




7121

Application



Code	Product	Packaging
8007	ONDA 30	1 PC



SLIM 30

Technical features

Material: stainless steel
 Dimensions: L 470 x W 80 x H 300 mm
 UV lamps: 2 x 15W
 Coverage: 80 m²
 Available colour: silver

Target pests

Winged insects

Strengths

Compact design • Multi-positionable
 • Quick and easy routine maintenance
 • Available in a shatterproof version
 • Option to choose the LED version

Spare parts



5153F




7121

Application



Code	Product	Packaging
8145	SLIM 30	1 PC



MINI 30

Technical features

Material: stainless steel
Dimensions: L 315 x W 75 x H 190 mm
UV lamps: 2 x 15W
Coverage: 60 m²
Available colour: silver

Target pests

Winged insects

Strengths

Multi-positionable: suspended, wall-mounted, or corner-mounted · Ideal for small environments with very limited installation space · Available in a shatterproof version

Spare parts



6193Y 5161P

Application



Code	Product	Packaging
8335	MINI 30	1 PC



WALL 30

Models: WALL 30B - WALL 30W - WALL 30BLUE
WALL 30R - WALL 30G - WALL 30Y - WALL 30P

Technical features

Material: steel powder-coated
Dimensions: L 515 x W 70 x H 250 mm
UV lamps: 2 x 15W
Coverage: 80 m²
Available colours: black, white, blue, strawberry red, green, yellow, burgundy purple

Target pests

Winged insects

Strengths

Discreet and elegant design, effectively concealing trapped insects from the view of bystanders · Compact design · Available in a variety of colour options to suit a wide range of environments · Available in a shatterproof version · Option to choose the LED version

Spare parts




6064F 7121



Code	Product	Packaging
8361	WALL 30B	1 PC
8361W	WALL 30W	1 PC
8361B	WALL 30BLUE	1 PC
8361R	WALL 30R	1 PC
8361G	WALL 30G	1 PC
8361Y	WALL 30Y	1 PC
8361M	WALL 30P	1 PC

Application





NICE 18

Technical features

Material: steel painted with white powders
Dimensions: L 475 x W 174 x H 195 mm
UV lamps: 18W compact
Coverage: 40 m²
Available colour: white

Strengths

Simple and minimalist design
• Particularly discreet, with the glueboard completely hidden from view
• The glueboard features a collection tab at the base
• Available in a shatterproof version

Spare parts



8371ECG 8284


Application



Target pests

Winged insects

NICE 30



Technical features

Material: steel white powder-coated
Dimensions: L 700 x W 220 x H 220 mm
UV lamps: 2 x 15W
Coverage: 60 m²
Available colour: white

Strengths

Simple and minimalist design
• Particularly discreet, with the glueboard completely hidden from view
• Available in a shatterproof version
• Option to choose the LED version

Spare parts



5148ECG 7121

Application



Target pests

Winged insects

Code	Product	Packaging
5130	NICE 18	1 PC

LOUNGE 20

Models: LOUNGE 20W - LOUNGE 20LG



Technical features

Material: painted steel
Dimensions: L 125 x W 125 x H 295 mm
UV lamps: 20W
Coverage: 30 m²
Available colours: white, light grey

Strengths

Simple and elegant design
• Particularly discreet, with the glueboard completely hidden from view

Spare parts



5152Y 8044S

Application








Target pests


Winged insects

Code	Product	Packaging
5404	LOUNGE 20W	1 PC
5405	LOUNGE 20LG	1 PC



Compatible with UV trap		Dimension	Color	Code	Packaging
  	• EASY 36/72 • DUPLO 45 • OCEAN 30 • PRO 40/80 • PRO 40/80 IP65 • RB40 • OTHER UV TRAPS ON THE MARKET	L 543 x H 300 mm	FLUX	5154F	12 PCS
			YELLOW	5154ECG	6 PCS
			BLACK	5155ECN	6 PCS
  	• ATEX • ONDA 30 • PRO 30 • PRO 30 IP65 • SLIM 30 • OTHER UV TRAPS ON THE MARKET	L 390 x H 300 mm	FLUX	5153F	12 PCS
			YELLOW	5153ECG	6 PCS
			BLACK	5157ECN	6 PCS
 	• FOOD 60 • OTHER UV TRAPS ON THE MARKET	L 450 x H 295 mm	YELLOW BI-FACES	6178ECG	6 PCS
			BLACK BI-FACES	6178ECN	6 PCS
  	• FOOD 30 • FOOD LED • OTHER UV TRAPS ON THE MARKET	L 425 x H 310 mm	FLUX	8078F	12 PCS
		L 425 x H 315 mm	YELLOW	8078Y	12 PCS
			BLACK	8078B	12 PCS
  	• WALL 30 • WALL LED • OTHER UV TRAPS ON THE MARKET	L 425 x H 245 mm	FLUX	6064F	12 PCS
			YELLOW	6064Y	12 PCS
			BLACK	6064B	12 PCS



	Compatible with UV trap	Dimension	Color	Code	Packaging
	• NICE 18 • SMART 18 • OTHER UV TRAPS ON THE MARKET	L 540 x H 250 mm	YELLOW	8371IECG	6 PCS
	• NICE 30 • OTHER UV TRAPS ON THE MARKET	L 540 x H 250 mm	YELLOW	5148IECG	6 PCS
	• MINI 30	L 232 x H 200 mm	YELLOW	6193Y	12 PCS
	• SOFT 18 • OTHER UV TRAPS ON THE MARKET	L 243 x H 135 mm	YELLOW	5151Y	12 PCS
	• LOUNGE 20 • RB15 • SOFT 30 • TWIST 20 • OTHER UV TRAPS ON THE MARKET	L 478 x H 200 mm	YELLOW	5152Y	12 PCS
	• OTHER UV TRAPS ON THE MARKET	L 450 x H 287 mm	YELLOW	8189Y	12 PCS
			BLACK	8189B	12 PCS
	• OTHER UV TRAPS ON THE MARKET	L 416 x H 285 mm	YELLOW MULTIPOSITION	8359Y	12 PCS
			BLACK MULTIPOSITION	8359B	12 PCS
	• OTHER UV TRAPS ON THE MARKET	Ø 295 mm	YELLOW	7785Y	6 PCS
	• OTHER UV TRAPS ON THE MARKET	L 340 x H 150 mm	YELLOW	8612Y	12 PCS
	• OTHER UV TRAPS ON THE MARKET	410 x 395 mm	YELLOW	8605Y	12 PCS
			BLACK	8605B	12 PCS



Uv lamp black light 368 and starter

Code	Product	Spare part for	Pack
5158	4W T5 LINEAR 150 mm - OSRAM CONNECTION G5	BLACK HOLE	25 PCS
5161P	15W T5 LINEAR 300 mm - PHILIPS CONNECTION G5	MINI 30	25 PCS
7121	15W T8 LINEAR 450 mm - MONSTER CONNECTION G13	DUPLO 45 - FOOD 30 - FOOD 60 - NICE 30 OCEAN 30 - ONDA 30 - PRO 30 - RB 15 - SLIM 30 SOFT 30 - WALL 30	25 PCS
7121SP	15W T8 LINEAR 450 mm SHATTERPROOF - FEP - MONSTER CONNECTION G13		25 PCS
8571	18W T8 LINEAR 600 mm - OSRAM CONNECTION G13	ATEX 36 - EASY 36	25 PCS
5181SP	18W T8 LINEAR 600 mm SHATTERPROOF FEP - PHILIPS CONNECTION G13		25 PCS
7122	20W T12 LINEAR 600 mm - MONSTER CONNECTION G13	PRO 40 - PRO 40 IP65	25 PCS
7122SS	20W T12 LINEAR 600 mm SHATTERPROOF FEP - MONSTER CONNECTION G13		25 PCS
5182	36W T8 LINEAR 600 mm - PHILIPS CONNECTION G13	EASY 72 - PRO 80 - PRO 80 IP65 - RB 40	25 PCS
5182SP	36W T8 LINEAR 600 mm SHATTERPROOF FEP - PHILIPS CONNECTION G13		25 PCS
7123	40W T12 LINEAR 600 mm - MONSTER CONNECTION G13	PRO 80 - PRO 80 IP65 - RB 40	25 PCS
7123SP	40W T12 LINEAR 600 mm SHATTERPROOF FEP - MONSTER CONNECTION G13		25 PCS
3501	LED T8 LINEAR 450 mm	FOOD LED - WALL LED OTHER MODELS ON THE MARKET	25 PCS
8317	18W MINILYNX - SYLVANIA CONNECTION E14	OTHER MODELS ON THE MARKET	10 PCS
8044S	20W MINILYNX - SYLVANIA CONNECTION E27	TWIST 20 - LOUNGE 20	20 PCS
8284	18W LYNX-L - SYLVANIA CONNECTION 2G11	SOFT 18 - NICE 18	10 PCS
7194	36W LYNX-L - SYLVANIA CONNECTION 2G11	OTHER MODELS ON THE MARKET	10 PCS
3067	22W T9 CIRCOLARE - SYLVANIA	OTHER MODELS ON THE MARKET	12 PCS
8162SN	STARTER SINGLE - FOR FLUORESCENT LAMP INDIVIDUALLY POWERED BY AN ELECTROMAGNETIC REACTOR	DUPLO 45 - EASY 72 - NICE 18 - PRO 80 - RB 40 - RB 15	25 PCS
8162SR	STARTER SERIES - FOR FLUORESCENT LAMP POWERED IN SERIES WITH AN ELECTROMAGNETIC REACTOR	DUPLO 45 - EASY 36 - FOOD 30 - FOOD 60 - MINI 30 NICE 30 - OCEAN 30 - PRO 30 - PRO 40 SLIM 30 - WALL 30	25 PCS

ATTENTION: AVAILABLE ON DEMAND OTHER REFERENCES

LEGENDA: W = Watt
T5 = Ø 16 mm
T8 = Ø 26 mm
T9 = Ø 29 mm
T12 = Ø 38 mm





FLUX

glueboard

The Flux glue board line guarantees, like no other product in its category on the market, high performance in capturing flies and other flying insects

Produced by Ekommerce, together with the Tak glueproducts and as a completion of the Klight line of light UV traps, Flux was created as a result of **scientific studies**, conducted by the University of Molise, aimed to increase the effectiveness of the glue boards.



Currently the most commonly used glue boards are **yellow** and **black** color. The **yellow** ones exploit the chromium-attractive component in order to have slightly higher performance in terms of capture, while the **black ones** are usually used to hide it from the view, overshadowing the technical aspects of the control instrument.

1 FAQ

What is the difference between yellow glue boards and Flux panels?

The surface of yellow glue boards (as well as black ones) is entirely covered with glue. Pests are attracted to the color of the board. Flux panels, on the other hand, are white and have glue applied in stripes. This innovative striping technique, when the light trap is active, creates a high degree of reflectance in specific zones, which **SIGNIFICANTLY** increases the capture rate of flies and flying insects compared to yellow panels.

2

Does the lack of division into sections on Flux panels, typical of yellow and black glue boards, make it harder to perform sample counting of captures?

Absolutely not. On the contrary, it makes it easier. You can count the captures on a single strip and multiply them by the number of glue stripes on the panel.

3

Does the lower amount of glue on Flux panels compared to yellow panels reduce the potential capture area? Is the number of pests on the Flux panel lower compared to yellow panels?

No. With the use of the yellow plate, captures tend to concentrate around the areas near the UV lamps. As a result, in the less illuminated areas, the presence of pests significantly decreases. In contrast, the distribution of captures with the Flux panels is uniform across the entire surface.

Flux is able to attract and trap up to 180% more target pests than a yellow glue board of the same size



The incredible result is guaranteed by a high degree of reflectance of the panel obtained thanks to the application of **VERTICAL STRIPS** glue alternating with empty spaces



The peculiarity of the FLUX glueboard is the **LIGHT/DARK EFFECT** created by this exclusive strip coating technique and the consequent greater reflectivity in areas




This allows you to indulge the **NATURAL ATTITUDE OF THE FLY** to rest near the boundary line between the high/low light areas

RESULTS OF THE SCIENTIFIC STUDY CONDUCTED BY THE UNIVERSITY OF MOLISE



UNIVERSITÀ
DEGLI STUDI
DEL MOLISE

The results obtained from the scientific study demonstrate the ability to control the populations of *Musca domestica* of UV traps does not depend only on the UV tubes used, as evidenced in numerous studies, but also on the characteristics of the glueboard.



Comparison of the number of catches of *Musca domestica* obtained through the use of the yellow glueboard and the Flux during test B. The percentages (%) indicate the growth rate of the white Flux plates compared to the yellow ones.

Source: Journal of Entomological and Acarological Research 2020.

Maximum grip even
with minimal pressure



MADE IN *Italy*

TAK
glueboards

Glue traps and adhesive boards
for insects and rodents



The name Tak comes from one of the main properties attributed to the glue used in the production of glueboards and glue traps for the control of pests and rodents.

The technical word Tack, in fact, translates the ability of a glue to stick to another object or body even through very light pressure.

This property is determined by the adhesive's ability to quickly "wet" the surface it comes into contact with.

STRENGTHS

1	 Natural colors extracted from vegetable sources	2	 Resistant materials even in humid environments	3	 High tack level	4	 Available production in private label
---	--	---	---	---	---	---	--

TARGET PESTS

 Brown rat (<i>Rattus norvegicus</i>)	 Black rat (<i>Rattus rattus</i>)	 House mouse (<i>Mus musculus domesticus</i>)	 Flying and crawling insects
--	--	--	---



Versatility

Characterized by great versatility, the TAK devices, effective in the case of ordinary inspection of monitoring and control of insects and rodents, also meet the requirements indicated in the Integrated Pest Management (IPM) protocols usually adopted within complex structures of the agri-food factory.



Made in Italy

The careful selection of materials and the quality obtained through highly controlled production stages have proved to be successful and allow us today to bring the name of *Made in Italy* high abroad.



Private label production

Thanks to the wide range of products and production flexibility, it is possible for our customers to ask for private label lots with their company logo and design. This will allow you to increase the visibility of your brand. Our goal is to be the reference point for anyone who requires a high performance and at the same time customized product.



Material quality

The glues used meet the highest quality standards and are endowed with exceptional elasticity and resistance to the most varied environmental conditions. They do not dry out even if exposed to the air for a long time and have a high resistance to exposure to UV rays. The cardboard used is extremely resistant to moisture. The colors, obtained from vegetable sources and completely non-toxic, are the same used for the packaging of food products.



Application



BLATRAP

Cockroach monitoring glue trap for crawling insects

Technical features

Material: cardboard with flavoured glue
Dimensions: L 180 x W 100 x H 28 mm (high profile)
L 180 x W 100 x H 20 mm (low profile)

Strengths

High degree of attractiveness from the aroma in the glue · Option to position the trap at two different heights
· Customisable with graphics upon request (code 3212P) · Enhanced luring capacity by integrating attractants in tablet format (code 3423)

Target pests

Cockroaches
 Crawling insects

How to use

Raise the ramps and close the trap in a trapezoidal shape on a high or low profile as needed. The high profile allows the trap to be kept vertical.

Code	Product	Packaging
3212	BLATRAP	200 PCS
3212P	BLATRAP PRIVATE LABEL	*
8328	PLASTIC BLATRAP	200 PCS



Application



BLATRAP MINI

Cockroach monitoring glue trap for crawling insects

Technical features

Material: cardboard with flavoured glue
Dimensions: L 65 x W 60 x H 40 mm (single strip)

Strengths

High degree of attractiveness from the aroma in the glue · Customisable with graphics upon request (code 3212P)
· Enhanced luring capacity by integrating attractants in tablet format (code 3423)

Target pests

Cockroaches
 Crawling insects

How to use

Divide into sizes suitable for the degree of infestation and then close in a triangle. Suitable for use in synergy with the Evo Control Station dispenser line (code 7500 - 7501).

Code	Product	Packaging
3213	BLATRAP MINI	250 PCS
3213P	BLATRAP MINI PRIVATE LABEL	*



Application



GT MICE AND INSECTS

Dual-purpose mice and crawling insects monitoring glue trap

Technical features

Material: cardboard with flavoured glue
Dimensions: L 190 x W 75 mm

Strengths

Multifunctional design · High degree of attractiveness from the aroma in the glue · Enables combined insect and rodent monitoring

Target pests

House mouse
 Crawling insects

How to use

It can be used in the dispensers of the Duo Control Station S line (code 7720 -7721 -7722 -7723) and with other compatible dispensers on the market.

Code	Product	Packaging
8619	GT MICE AND INSECTS	120 PCS



* CUSTOMIZATION OPTIONS

OPTION A Customization with four color logo on a white background
OPTION B Customization with logo and four-colour background

MINIMUM ORDER QUANTITY

1000 PCS
5000 PCS





INSECT PROGLUE

Universal crawling insects glue trap

Technical features

Material: cardboard with flavoured glue
Dimensions: L 155 x W 100 mm

Strengths

Multifunctional: specifically designed for monitoring crawling insects, it can be inserted into multiple protective supports - Customisable with graphics upon request

Target pests

Cockroaches
 Crawling insects

How to use

Can be used in synergy with the Ristoratrap dispenser line (code 6030 - 6033) and the Monitor insect trap line (code 8545 - 8546).

Application



Code	Product	Packaging
6004S	INSECT PROGLUE	100 PCS
6004SP	INSECT PROGLUE PRIVATE LABEL	*



MONITOR

Combined mice and crawling insects trap

Technical features

Material: plastic
Dimensions: L 207 x W 119 x H 43 mm
Available colours: black, transparent

Strengths

Customisable with graphics upon request - Reusable product - Equipped with a safety key lock - Compatible with the Evo Control Station dispenser key

Target pests

Crawling insects
 House mouse

How to use

Can be used in synergy with the Proglue line of glue traps for mice and insects (code 6004S - 6004HG - 6017) or with the Blatrap glue trap (code 3212).

Application



Code	Product	Packaging
8545	MONITOR DARK	40 PCS
8546	CLEAR MONITOR	40 PCS



MINI GLUE AND INSECT MONITOR

Glue trap and specific support

Used for monitoring crawling insects

Technical features

Mini Glue material: cardboard with flavoured glue
Insect Monitor material: plastic
Mini Glue dimensions: L 53 x W 78 mm
Insect Monitor dimensions: L 110 x W 90 x H 18 mm

Strengths

Small and discreet trap, ideal for use in the narrowest spaces - Customisable with graphics (Insect Monitor) upon request

Target pests

Crawling insects

How to use

Place the Mini Glue cardboard inside the Insect Monitor compartment, close the lid and press until it locks. Place in the passage points of crawling insects.

Application



Code	Product	Packaging
4302S	MINI GLUE	100 PCS
8012	INSECT MONITOR	144 PCS



* CUSTOMIZATION OPTIONS

OPTION A
OPTION B

Customization with four color logo on a white background
Customization with logo and four-colour background

MINIMUM ORDER QUANTITY

1000 PCS
5000 PCS





ZEBRATRAP

Food pest monitoring glue trap

Technical features

Material: cardboard with glue
Dimensions: L 133 x W 90 x H 122 mm

Strengths

Enticing effect with a dual system:
optical, using a specific zebra pattern
with inclined vertical lines, and chemical,
through a pheromone attractant
• Customisable with graphics upon
request

Target pests

Anobiids
 Food moths

How to use

Assemble the trap in a
triangular configuration,
activate it with the
appropriate species-specific
pheromone (refer to the
provided table for selection),
and suspend it no higher
than 2 m above ground level,
ensuring a coverage density
of one trap per 200 m² for
optimal effectiveness.

Application



Code	Product	Packaging
8550	ZEBRATRAP	120 PCS
8550P	ZEBRATRAP PRIVATE LABEL	*



ZEBRATRAP MOTH

Pantry moth and foodborne insect monitoring trap

Technical features

Material: cardboard with glue
Dimensions: L 155 x W 100 x H 40 mm

Strengths

Enticing effect with a dual system:
optical, using a specific zebra pattern
with inclined vertical lines, and chemical,
through a pheromone attractant (not
included) • Thin design, ideal for use
in challenging environments prone to
damage, such as storage warehouses
• Customisable with graphics upon
request

Target pests

Anobiids
 Food moths
 Fabric moths

How to use

Interlock the two upper
flaps, activate it with the
appropriate species-specific
pheromone (refer to the
provided table for selection),
and mount it either vertically
on a wall or horizontally on
shelving, ensuring the trap is
positioned no higher than 2
m above ground level.

Application



Code	Product	Packaging
8576	ZEBRATRAP MOTH	120 PCS
8576P	ZEBRATRAP MOTH PRIVATE LABEL	*



DERTRAP

Funnel trap with collection bag for food insects

Technical features

Material: plastic
Dimensions: L 320 mm, Ø lid 170 mm

Strengths

Reusable product • Suitable for dusty
environments

Target pests

Food moths

How to use

For optimal performance,
activate the trap using the
species-specific pheromone
(refer to the accompanying
table for selection) and
position it at approximately
2 m above ground level
with a coverage density
of one trap per 200 m².
Pheromones are not
included.

Application



Code	Product	Packaging
3438	DERTRAP	10 PCS



* CUSTOMIZATION OPTIONS

OPTION A
OPTION B

Customization with four color logo on a white background
Customization with logo and four-colour background

MINIMUM ORDER QUANTITY

1000 PCS
5000 PCS





FUNNEL TRAP

Rigid body funnel trap for foodborne insects

Technical features

Material: plastic
Dimensions: Ø 170 x H 225 mm

Strengths

Roof with a pheromone holder that facilitates easy replacement and prevents accidental falling into the trap
• Can also be used with sticky cards inside
• Reusable and designed for use in dusty environments
• Does not become saturated

Target pests

 Food moths

How to use

For optimal performance, activate the trap using the species-specific pheromone (refer to the accompanying table for selection) and position it at approximately 2 m above ground level with a coverage density of one trap per 200 m². Pheromones are not included.

Application



Code	Product	Packaging
3024GYC	FUNNEL TRAP	10 PCS



DROSTRAP

Fruit fly glue trap for *Drosophila spp.*

Technical features

Material: cardboard with glue
Dimensions: L 320 x W 120 mm

Strengths

Enticing effect with a dual system: optical, using the specific 'fluorescent yellow' colouring, and chemical, through a pheromone attractant (not included)
• Small and discreet, captures insects while concealing them from the view of bystanders

Target pests

 Fruit flies

How to use

For *Drosophila spp.* control, set up the trap using the species-specific attractant (code 7631), then position either on a flat surface or suspend at approximately 2 m height for optimal effectiveness.

Application



Code	Product	Packaging
7630	DROSTRAP	120 PCS



OLITRAP

Glue trap support for Tephritid Diptera, specifically designed for monitoring olive fly and fruit fly

Technical features

Material: honeycomb plastic
Dimensions: L 264 x W 150 x H 115 mm

Target pests

 Olive fly
 Fruit fly

Strengths

Enticing effect with a dual system: optical, using the specific 'fluorescent yellow' colouring, and chemical, through a pheromone attractant (not included)
• Robust and weather-resistant

How to use

Assemble the trap by folding it into a pagoda shape and inserting the glue refill, then activate it with the appropriate species-specific pheromone (refer to the provided table for selection), and position units at a density of one trap per 1200 m².

Application



Code	Product	Packaging
7107	OLITRAP	10 PCS
7108	REPLACEMENT GLUE CARD	150 PCS



PHEROMONES TABLE AND ATTRACTIVE

Code	Target pests	Life
3132	TOBACCO BEETLE <i>Lasioderma serricorne</i> (Fabricius)	60 DAYS
8206	LESSER GRAIN BORER <i>Rhyzopertha Dominica</i> (Fabricius)	60 DAYS
7632	ASIAN STINK BUG <i>Halyomorpha halys</i> (Stål)	60 DAYS
4298	FALSE GRAIN MOTH <i>Nemapogon granella</i> (Linnaeus)	60 DAYS
3211	OLIVE FLY <i>Bactrocera oleae</i> (Gmelin)	60 DAYS
7631	FRUIT FLY <i>Drosophila</i> spp.	60 DAYS
3134	PINE PROCESSIONARY <i>Thaumetopoea pityocampa</i> (Denis & Schiffermüller)	60 DAYS
4126	WHEAT WEEVIL <i>Sitophilus granarius</i> (Linnaeus)	60 DAYS
4127	RICE WEEVIL <i>Sitophilus oryzae</i> (Linnaeus)	60 DAYS
7051R	RED PALM WEEVIL <i>Rhynchophorus ferrugineus</i>	45 DAYS
35	CLOTHES MOTH <i>Tineola bisselliella</i> (Hummel)	60 DAYS
3129	STORED PRODUCT MOTH <i>Ephestia</i> spp. - <i>Plodia interpunctella</i> (Hübner)	60 DAYS
3129LLB	STORED PRODUCT MOTH <i>Ephestia</i> spp. - <i>Plodia interpunctella</i> (Hübner) Long Life Blue	90 DAYS
3129LLY	STORED PRODUCT MOTH <i>Ephestia</i> spp. - <i>Plodia interpunctella</i> (Hübner) Long Life Yellow	90 DAYS
3129LLN	STORED PRODUCT MOTH <i>Ephestia</i> spp. - <i>Plodia interpunctella</i> (Hübner) Long Life Neutral	90 DAYS
3129LLR	STORED PRODUCT MOTH <i>Ephestia</i> spp. - <i>Plodia interpunctella</i> (Hübner) Long Life Red	90 DAYS
3129LLG	STORED PRODUCT MOTH <i>Ephestia</i> spp. - <i>Plodia interpunctella</i> (Hübner) Long Life Green	90 DAYS
3130	FLOUR BEETLE <i>Tribolium</i> spp.	60 DAYS





BLACK VENUS TRAP

Single use fly trap

Technical features

Material: plastic
Dimensions: Ø 200 x H 310 mm

Strengths

Suitable for outdoor use · High capture capacity (up to 40000 flies) · Easy to use
· Disposable

Target pests

 Flies
 Blowflies

How to use

Position the trap approximately 2 m above ground level in a well-exposed, sunny location. Deployment density should be adjusted according to environment: install one trap per 80-100 m² in open-air settings, and increase density to one trap per 40 m² within stable areas.

Application



Code	Product	Packaging
7097	BLACK VENUS TRAP	10 PCS



BLACK VENUS XL

Reusable fly trap

Technical features

Material: plastic
Dimensions: Ø 280 x H 230 mm

Strengths

Made with special cones that prevent flies, attracted by the bait, from leaving the container · High attractant capacity
· Reusable product

Target pests

 Flies
 Blowflies

How to use

Fill the trap with 1,5 L of water, add the attractant and mix. Place the trap approximately 1,5 m from the ground in an area exposed to the sun for 3 to 4 hours a day.

Application



Code	Product	Packaging
7102	BLACK VENUS XL	6 PCS



ENTERFLY

Reusable fly trap

Technical features

Material: plastic
Dimensions: L 130 x W 160 x H 250 mm

Strengths

Suitable for outdoor use · High catching capacity · Easy to use · Reusable product

Target pests

 Flies
 Blowflies

How to use

Position the trap approximately 2 m above ground level in a well-exposed, sunny location. Deployment density should be adjusted according to environment: install one trap per 80-100 m² in open-air settings, and increase density to one trap per 40 m² within stable areas.

Application



Code	Product	Packaging
8014	ENTERFLY	6 PCS





The processionary sheds its hairs,
but not its habit of **COMING DOWN**
Stop it with **Procestop!**



THE TRAP MOST EFFECTIVE AGAINST
THE PINE PROCESSIONARY MOTH

Strengths

1 Patented system

2 The stinging hairs are trapped in the special odorless glue

3 When used with the specific pheromone, it is effective for capturing adult processionary moths

4 Protects people and animals from the risk of accidental contact with the larvae

PROCESTOP LINE



Pine processionary barrier glue trap

Stops larval descent on tree trunks to prevent ground pupation and break the reproductive cycle


Strengths

Patented system • 100% Made in Italy
• Protects people and animals from the risk of accidental contact with larvae
• Stinging hairs are incorporated into the special, odourless glue • When used with the specific pheromone (code 3134), it is effective for capturing processionary adults

Target pests

 Pine processionary moth larvae

PROCESTOP 30



Technical features


Material: PVC collar, neoprene gasket, tube of butyl glue
Dimensions: for trees with a circumference of 18 to 113 cm

Kit in dotazione

No. 1 PVC collar, No. 1 pivillene strip 1000 x 50 mm, No. 2 double-sided tapes 100 x 50 mm, No. 1 tube of glue 135 g, No. 1 pair of latex gloves

Code	Product	Packaging
8540	PROCESTOP 30	1 KIT

PROCESTOP 50



Technical features


Material: PVC collar, neoprene gasket, tube of butyl glue
Dimensions: for trees with a circumference of 18 to 155 cm

Kit in dotazione

No. 1 PVC collar, No. 1 pivillene strip 1500 x 50 mm, No. 2 double-sided tapes 100 x 50 mm, No. 1 tube of glue 135 g, No. 1 pair of latex gloves

Code	Product	Packaging
8541	PROCESTOP 50	1 KIT

PROCESTOP 80



Technical features

Material: PVC collar, neoprene gasket, tube of butyl glue
Dimensions: for trees with a circumference of 155 to 245 cm

Kit in dotazione

No. 1 PVC collar, No. 1 pivillene strip 2400 x 50 mm, No. 2 double-sided tapes 100 x 50 mm, No. 2 tubes of glue 135 g, No. 1 pair of latex gloves

Code	Product	Packaging
8542	PROCESTOP 80	1 KIT

Application





Z-STOP PRO

Concentrated natural mosquito repellent for misting systems

Technical features

Composition: garlic essential oil 3,5%

Target pests

 Mosquitoes

Strengths

Effective olfactory barrier · High persistence · Natural and ecological
· Non-phytotoxic

How to use

Dilute to 0,5÷1%. Apply the solution along all perimeters, hedges, and/or surfaces where mosquitoes may nest.

Application



Code	Product	Packaging
8598	Z-STOP PRO BOTTLE 500 mL	6 PCS



Z-STOP ULTRA

High concentration natural mosquito repellent

Technical features

Composition: garlic essential oil 10,5%

Target pests

 Mosquitoes

Strengths

Effective olfactory barrier · High persistence · Natural and ecological
· Non-phytotoxic

How to use

Dilute to 0,2÷1%. Apply the solution along all perimeters, hedges, and/or surfaces where mosquitoes may nest.



Application



Code	Product	Packaging
8599	Z-STOP ULTRA BOTTLE 500 mL	6 PCS

Away with vampires and **mosquitoes!**



The natural garlic-based mosquito repellent that **respects health and the environment**

The smell of garlic is very unpleasant for mosquitoes, so they stay away from treated areas. The product continues to act as a repellent even when the smell of garlic is no longer noticeable to people and non-target animals.

VENTAJAS



effective



100% organic



Safe for people
and non-target animals



non-phytotoxic





SYNERGY

Leaf-adherent emulsion concentrate

Enhances residual activity and rainfastness of foliar-applied treatments

Technical features

Composition: glycol and non-ionic surfactants

Strengths

Prevents the formation of foam during mixing · When used with Z-STOP PRO or Z-STOP ULTRA, it provides greater adhesion and enhanced residuality on surfaces

How to use

Dilute 0,5%÷1%
(equivalent to 50-100mL of Synergy) per 100 L of solution.

Application



Code	Product	Packaging
6082	SYNERGY BOTTLE 1 L	12 PCS




ALL EYES ON ME



FLIES
won't stand a chance!

FLUX
blueboard

Line of glue boards
for capturing flies and flying insects





280 gr

BYEBIRDS®

Olfactory repellent for pigeon infestation management

Technical features

Material: viscous paste made from natural substances extracted from plants

Target pests

 Columbus

Strengths

Eco-friendly · Effective · No environmental impact · Long-lasting

Dosage

For medium infestations, apply 20 g of ByeBirds® per tray base, spaced 20 cm apart. For severe infestations, apply 25 g of ByeBirds® per tray base, spaced 15 cm apart.

Positioning

To ensure optimal results, it is essential that the tray bases are securely fixed. Select the appropriate fixing system for each surface (e.g., specific adhesives for terracotta, dowels for porous concrete, rivets for metal, etc.). Position the bases along the pigeons' roosting areas, focusing on cornices, gutters, parapets, railings, and other surfaces that provide a clear view for the birds.

Registrazione

BYEBIRDS® silver: IT 0031542-0000

BYEBIRDS® ivory: IT 0031543-0000



The tray bases must be fixed with a suitable glue on the surfaces of interest.



Application



Code	Product	Packaging
8731	BYEBIRDS® SILVER CARTRIDGE 280 g	12 PCS
8732	BYEBIRDS® IVORY CARTRIDGE 280 g	12 PCS
8451B	TRAY BASES PACK 15 PCS	1 PC
8731KIT	BYEBIRDS® SILVER CARTRIDGE 280 g + 15 TRAY BASES	12 KIT
8732KIT	BYEBIRDS® IVORY CARTRIDGE 280 g + 15 TRAY BASES	12 KIT



SCUDO CALL

Sound deterrent for nuisance birds

The alarm cry emitted by this deterrent alerts target species to imminent danger, causing them to flee. Can be used in synergy with other bird deterrents, such as Scarybird

Technical features

Material: metal and plastic
 Dimensions: L 7 x W 7 x H 4,5 cm
 Weight: 265 g
 Internal speaker: 30W
 Memory capacity: 10 sounds
 Power supply: 12V
 Function: random
 Sounds played
 SCUDO CALL CITY: starling, hawk, sparrow, blackbird, woodpecker, parakeet, pigeon, crow, magpie, jay
 SCUDO CALL FARM: starling, hawk, peregrine falcon, pigeon, seagull, egret, heron, bee-eater, jackdaw, woodpecker

Target pests

-  Columbus
-  Sparrow
-  Seagull
-  Other nuisance birds

Strengths

- Eco-friendly and harmless to birds
- Versatile, compact, and easy to use
- Wide range of action

Kit supplied

Player • Battery terminals with power cable • Protective plastic cover • Mains power supply

Application



Code	Product	Packaging
8561C	SCUDO CALL CITY	1 PC
8561F	SCUDO CALL FARM	1 PC



Application



SCARYBIRD

Visual deterrent for nuisance birds

Covers an area of 1,5 ha in open field

Technical features

PREDATOR BIRD KITE made from high-resistance UV-treated nylon. Ideal for use in various climatic conditions
 FLEXIBLE TELESCOPIC POLE made from fiberglass, allowing the kite to move in a way that closely mimics bird flight
 FLEXIBLE METAL SPRING offering increased freedom of movement to the pole and minimising the risk of breakage

Strengths

- Eco-friendly • Silent • Resistant
- Maintenance-free • Effective

Target pests


-  Columbus
-  Sparrow
-  Seagull
-  Other nuisance birds

Positioning

Place the bases in areas free from obstacles and reposition them periodically based on the level of infestation. Remove them during strong gusts of wind.



Code	Product	Packaging
6063	SCARYBIRD	1 PC
6063M	FLEXIBLE METAL SPRING	1 PC



Wild animals



SCUDO CALL WILD

Sound deterrent for wild animals

The alarm cry emitted alerts the target pests of an imminent danger, causing them to escape

Technical features

Material: metal and plastic
Dimensions: L 70 x W 70 x H 45 mm
Weight: 265 g
Internal speaker: 30W
Memory capacity: 8 sounds
Power supply: 12V
Function: random
Sounds played: wild boar, peregrine falcon, marsh harrier, dogs, jackal, alarm, harmful mix, crowd, scratch 1, scratch 2

Target pests



- Wild boar
- Peregrine falcon
- Marsh harrier
- Dog
- Jackal

Strengths

Eco-friendly and harmless to pests
• Versatile, easy to handle, and simple to use
• Wide action range

Kit supplied

- Speaker
- Battery terminals with power cable
- Protective plastic cover
- Mains power supply



Application



Code	Product	Packaging
8561W	SCUDO CALL WILD	1 PC



R-STOP

Granular repellent for reptiles

Used to humanely deter geckos, lizards, and snakes

Technical features

Composition: natural aromatic essences

Target pests

- Geckos
- Lizards
- Reptiles

Strengths

Harmless to people and animals
• Does not damage lawns or plants

How to use

Apply directly to the ground, spreading a dose of 100 g every 10 m² in strips approximately 15 cm wide. In case of high infestations, the dose can be doubled. Repeat the treatment every 20 days or after irrigation and rainfall.

Application



Code	Product	Packaging
8647	R-STOP 10 kg CARTON	1 PC
8661	R-STOP 1 kg BOTTLE	12 PCS



Kick out **the unwanted guests!**

R-STOP is a ready-to-use granular repellent specifically for reptiles. The product is made with aromatic substances that are unpleasant for the target pests. R-STOP is free from toxic substances, so it can be applied without any special precautions. The product is harmless to people and animals, and it does not damage lawns or plants.





Equipment



COMPACT AEROSOL

Portable ulv fogger for disinfestation and disinfection with volumetric saturation for large and extra-large environments

Technical feature

Material: stainless steel
Dimensions: L 33 x H 80 cm
Weight: 10 Kg

Info

Tank capacity: 24 L.
Air compression power supply.
Operating capacity: 10000/30000 m³.

Strengths

Compact and versatile · Equipped with two 45-degree orientable air-liquid nozzles, allowing for micronization of the nebulized solution that remains suspended for a long time · Corrosion-resistant components · Efficient long-lasting suspension of the nebulized solution · Easy to clean · Easy to transport · No need for electrical power, making it ideal for use in ATEX and high-humidity environments

Application



Code	Product	Packaging
8512	COMPACT AEROSOL	1 PC



COLD ZONE

Cryo-disinfestation system.

Professional freezing unit for bed bug and crawling insects eradication

Technical features

Material: stainless steel
Dimensions Cold Zone 50 L:
Ø 450 x H 870 mm
Dimensions Cold Zone 30 L:
Ø 350 x H 920 mm
Nominal tank capacity: 50 L - 30 L
Empty tank weight: 50 kg, 33 kg
Acts by contact thermal shock

Target pests

 Bed bug
 Other crawling insects

Strengths

Eco-friendly · Utilises the cryogenic power of liquid nitrogen with physical biocidal activity · Non-toxic · Does not stain

Kit supplied

Tank · 2 m coil · Lance (code 8235) · Coil and filling connection (code 8350)

Instructions for use

Spray the affected surfaces with liquid nitrogen, including mattresses, furniture, clothing, electrical outlets, and any crevices where pests may find shelter. Ensure the premises are well ventilated during use.

Please note:

Equipment cart is not supplied with the kit

Code	Product	Packaging
8232KIT	COLD ZONE 50 L	1 PC
8379	TROLLEY FOR COLD ZONE 50 L	1 PC
8233KIT	COLD ZONE 30 L	1 PC
8244	TROLLEY FOR COLD ZONE 30 L	1 PC

Application



EKOXY3 LINE

Ozone generator suitable for the ecological sanitization of air and surfaces in non-sterile areas

It ensures decontamination from viruses and bacteria. It can be used for sanitizing surfaces in contact with food, and for reducing the microbial load on fruits and vegetables in cases of contamination by mold and yeast spores. It is also effective for deodorizing indoor environments.

Strengths

Eco-friendly • High ozone emission
• High sanitization effectiveness

Target pests

-  Bacteria
-  Fungi
-  Viruses
-  Molds

EKOXY3-25



Technical features

Material: metal, plastic, and electronic components
Dimensions: L 320 x W 330 x H 120 mm
Weight: 4,8 kg
Ozone production: 1 g/h at ambient air temperature 20°C / 50% Rh
Air/ozone flow: 45 m³/h
Ozone concentration: 25 PPM
Filter refill quantity: 410 g

Code	Product	Packaging
8553	EKOXY3-25	1 PC
8557GG	FILTER REFILL GRANULES JAR 3 kg	1 PC

EKOXY3-50



Technical features

Material: metal, plastic and electronic components
Dimensions: L 400 x W 380 x H 180 mm
Weight: 6,8 kg
Ozone production: 3,2 g/h at ambient air temperature 20°C / 50% Rh
Air/ozone flow: 90 m³/h
Ozone concentration: 50 PPM
Filter refill quantity: 800 g

Kit supplied

Water ozonization kit (code 8554KOA)

Application



Code	Product	Packaging
8554	EKOXY3-50	1 PC
8557GG	FILTER REFILL GRANULES 3 kg JAR	1 PC
8554KOA	WATER OZONIZATION KIT	1 PC



Legend environment symbols

	Products suitable for the industrial sector		Products suitable for urban areas		Products suitable for ports and airports
	Products suitable for the food industry		Products suitable for gardens, fenced green areas, and parks		Products suitable for ambulances
	Products suitable for logistics areas and warehouses		Products suitable for outdoor areas		Products suitable for parking lots
	Products suitable for fields and/or gardens, agricultural sector, agronomy sector		Products suitable for large-scale retail		Products suitable for camping
	Products suitable for the fishery sector		Products suitable for explosive atmospheres		Products suitable for the management of above-ground termite nests
	Products suitable for farms, agricultural enterprises, livestock areas, stables, riding schools, barns, stalls, and animal shelters		Products suitable for the Ho.Re.Ca channel		Suitable products for the management of underground termite nests
	Products suitable for hotels		Products suitable for environments frequented by children		Products suitable for shafts
	Products suitable for workshops		Products suitable for hangars		Suitable products for cellars
	Products suitable for public areas (public spaces, halls, supermarkets, bars, restaurants, catering services, hotels and hostels, tourist and seaside resorts, archives, museums, monuments, schools, beauty centers, wellness centers, gyms, sports fields)		Products suitable for hospitals, clinics, healthcare facilities, medical offices, wards, nursing homes, reception centres, nursing homes		Products suitable for composting plants and landfills
			Products suitable for indoor environments		Suitable products for wood treatment
	Products suitable for canteens, food laboratories, kitchens, food preparation areas, dining rooms		Products suitable for humid environments		Suitable products for the treatment of pine trees
			Products suitable for outdoor environments with high humidity levels		Suitable products for the treatment of palm trees
	Products suitable for agritourism and rural environments		Products suitable for low humidity environments		Products suitable for spaces, doors, entrances and slots
	Products suitable for offices		Products suitable for equipment, cables and electrical cabins		Products suitable for cavities
			Products suitable for roofs, coverings and balconies		Products suitable for hydraulic systems
			Products suitable for means of transport		Products suitable for anti-larval treatment in stagnant water
					Suitable products for mattress protection

Alphabetical index of products

PRODUCT NAME	CODE	PAGE
A		
ALLEN KEY FOR T-RAT	3005C	37
ATEX 36	8449	48
B		
BLACK VENUS TRAP	7097	65
BLACK VENUS XL	7102	65
BLATRAP	3212	60
BLATRAP (PLASTIC VERSION)	8328	60
BLATRAP MINI PRIVATE LABEL	3213P	60
BLATRAP MINI	3213	60
BLATRAP PRIVATE LABEL	3212P	60
BYEBIRDS® IVORY CARTRIDGE 280 G + 15 TRAY BASES	8732KIT	74
BYEBIRDS® SILVER CARTRIDGE 280 G	8731	74
BYEBIRDS® SILVER CARTRIDGE 280 G + 15 TRAY BASES	8731KIT	74
C		
CHECK POINT ADHESIVE	5116	38
CHECK POINT CUSTOM ADHESIVE	5117	38
CHECK POINT CUSTOM PVC	6032	38
CHECK POINT PVC	4316	38
COLD ZONE 30 L	8233KIT	82
COLD ZONE 50 L	8232KIT	82
COLLECTION BASKET	8679A	26
COLLECTION BASKET HANDLE KIT	8679B	26
COMPACT AEROSOL	8512	82
COVER FOR SNAP MOUSE TRAP	8067MC	33
COVER FOR SNAP RAT TRAP	8067RC	33
D		
DERTRAP	3438	62
DIATOMACEOUS EARTH POWDER 22,68 KG BAG	8569	70
DROSTRAP	7630	63
DUO CONTROL STATION BLACK	8038	34
DUO CONTROL STATION BLACK TRANSPARENT ROOF	8060	34
DUO CONTROL STATION GREY	8097	34
DUO CONTROL STATION S BLACK	7720	35
DUO CONTROL STATION S BLACK WITH TRANSPARENT ROOF	7722	35
DUO CONTROL STATION S GREY	7721	35
DUO CONTROL STATION S TRANSPARENT	7723	35
DUO CONTROL STATION TRANSPARENT	8387	34
DUPLO 45	8501	50
E		
EKO FLY BOTTLE 1 L	8363	70
EKOBOX CREAM COLOR	2003E	23
EKOBOX CREAM COLOR	5027	23
EKOBOX GREEN COLOR	2004E	23
EKOBOX GREEN COLOR	5028	23
EKOFIT	3282	27
EKOFIX 100 TANK 5 L	2012	24
EKOLOGIC	APGA05B	23
EKOMILLE	2001	12
EKOMILLE CO2	2002	18
EKOMILLE CO2 CARBON ANDRID CYLINDER	2020	18
EKOMILLE RC	2005	16
EKOMILLE RC DOUBLE BATTERY CHARGER	8551CD	16
EKOMILLE RC QUADRUPLE BATTERY CHARGER	8551CQ	16
EKOMILLE RC RECHARGEABLE BATTERY	8551B	16
EKOMILLE Z	2006	20
EKONET	APGA13A	25
EKONET DISPOSABLE BAGS	3281	25
EKONTROL	8551	14
EKONTROL DOUBLE BATTERY CHARGER	8551CD	14
EKONTROL QUADRUPLE BATTERY CHARGER	8551CQ	14
EKONTROL RECHARGEABLE BATTERY	8551B	14
EKOPARK	4177	23
EKOSHIP	APGA01	25
EKOSIDE	APGA09	25
EKOUP	APGA07	25
EKOWAS	7003	26
EKOWORK	7004	26
EKOXY3-25	8553	83
EKOXY3-25 FILTER REFILL GRANULES JAR 3 KG	8557GG	83
EKOXY3-50	8554	83
EKOXY3-50 FILTER REFILL GRANULES 3 KG	8557GG	83
EKOXY3-50 WATER OZONIZATION KIT	8554KOA	83
ENTERFLY	8014	65
EVO CONTROL STATION BLACK	7500	36
EVO CONTROL STATION BLACK WITH TRANSPARENT ROOF	7501	36
F		
FEEDING BOX SPACER	APG148	24
FIXER KIT	7714	37
FOOD 30 SUPPORT KIT	8412	50
FOOD 30S	8119	50
FOOD 30W	3440	50
FOOD 60	8620	48
FOOD 60 STAINLESS STEEL SUPPORT	8141	48
FOOD LED	3443	44
FOOD LED SUPPORT KIT	8412	44
FUNNEL TRAP	3024GYC	63
G		
GLUE TWIN DUO	3142	31
GLUE TWIN DUO PRIVATE LABEL	3142P	31
GLUE TWIN MAX	3137	31
GLUE TWIN PLASTIC	3136	31
GLUE TWIN PRIVAT LABEL	3135P	30
GLUE TWIN, 100 PCS	3135	30
GT MICE AND INSECTS	8619	60

PRODUCT NAME	CODE	PAGE
H		
HARD RAT ALLEN KEY	7081C	36
HARD RAT STAINLESS STEEL	7081	36
I		
INSECT MONITOR	8012	61
INSECT PROGLUE	6004S	61
INSECT PROGLUE PRIVATE LABEL	6004SP	61
L		
LOUNGE 20LG	5405	53
LOUNGE 20W	5404	53
M		
MINI 30	8335	52
MINI GLUE	4302S	61
MONITOR (CLEAR VERSION)	8546	61
MONITOR (DARK VERSION)	8545	61
MULTI-CATCH RAT	3035	32
N		
NICE 18	5130	53
NICE 30W	5131	53
O		
OCEAN 30 IP66	8360	49
OLITRAP	7107	63
OLITRAP REPLACEMENT GLUE CARD	7108	63
ONDA 30	8007	51
P		
PRO 30S	5137	46
PRO 30S IP65	6139	47
PRO 30W	5136	46
PRO 40S	5139	46
PRO 40S IP65	5140	47
PRO 40W	5138	46
PRO 80S	5141	46
PRO 80S IP65	5142	47
PRO 80W	6140	46
PROCESTOP 30	8540	67
PROCESTOP 50	8541	67
PROCESTOP 80	8542	67
PROGLUE MICE PLASTIC	6017	30
PROGLUE MICE PRIVATE LABEL	6004HGP	30
PROGLUE MICE	6004HG	30
R		
RAT CAGE TRAP	7161	33
RAT WOOD COLD	3207C	30
RAT WOOD	3207	30
RB 15S	7700	49
RB 15W	7701	49
RB 40S	8458	49
RB 40W	8458W	49
ROTAX SPRAY ALLMOND FLAVOR 100 ML BOTTLE	8670B	38
ROTAX SPRAY CERRY FLAVOR 100 ML BOTTLE	8670C	38
ROTAX SPRAY HAZELNUT FLAVOR 100 ML BOTTLE	8670A	38
R-STOP BOTTLE 1 KG	8661	78
R-STOP CARTON 10 KG	8647	78
S		
SCARYBIRD	6063	75
SCARYBIRD FLEXIBLE METAL SPRING	6063M	75
SCUDO CALL CITY	8561C	75
SCUDO CALL FARM	8561F	75
SCUDO CALL WILD	8561W	78
SLIM 30	8145	51
SNAP MOUSE TRAP	8067M	33
SNAP RAT TRAP	8067R	33
SYNERGY BOTTLE 1 L	6082	70
T		
T-RAT BLACK	3005	37
T-RAT GREY	8130	37
T-RAT LOCKING KIT	8370	37
TRAY BASES PACK 15 PCS	8451B	74
TROLLEY FOR COLD ZONE 30 L	8244	82
TROLLEY FOR COLD ZONE 50 L	8379	82
TUNNEL FOR VASTRAP	4383	29
TWIN BLOCK	8432	32
TWIN MOUSE INSPECTIONABLE	3021	32
TWIN MOUSE NON-INSPECTIONABLE	3020	32
TWIN PLAST	8118	32
U		
UPPER LADDER COVER KIT	APGR10	24
V		
VASTRAP (BLACK VERSION)	4382	29
VASTRAP (COLD BLACK VERSION)	4382C	29
VASTRAP (COLD WHITE VERSION)	4385C	29
VASTRAP (WHITE VERSION)	4385	29
VASTRAP MIDI WHITE	4386	29
VASTRAP MIDI WHITE COLD	4386C	29
W		
WALL 30B	8361	52
WALL 30BLUE	8361B	52
WALL 30G	8361G	52
WALL 30P	8361M	52
WALL 30R	8361R	52
WALL 30W	8361W	52
WALL 30Y	8361Y	52
WALL LED	8635	44
Z		
ZEBRATRAP	8550	62
ZEBRATRAP MOTH	8576	62
ZEBRATRAP MOTH PRIVATE LABEL	8576P	62
ZEBRATRAP PRIVATE LABEL	8550P	62
Z-STOP PRO BOTTLE 500 ML	8598	68
Z-STOP ULTRA BOTTLE 500 ML	8599	68

General conditions of sale

By submitting an order for the purchase of Products (a "Purchase Order"), Buyer acknowledges and agrees to the following terms and conditions (the "Agreement"):

1. SELLER'S TERMS AND CONDITIONS - The following terms and conditions are deemed part of all quotations, acknowledgments, invoices, Purchase Orders and other documents, whether electronic or in writing, relating to the sale of goods or services ("Products") by EKOMMERCE SRL, a Italian company ("Seller") to Seller's customers ("Buyer"). These terms and conditions, together with Seller's quotation, order acknowledgement and invoice to a Purchase Order accepted by Seller, constitute the entire contract of sale and purchase between Seller and Buyer with respect to the Products covered by this Agreement, will supersede all previous communications, agreements or contracts, written or verbal between Seller and Buyer, and no understanding, agreement, term, condition or trade custom at variance herewith will be binding on Seller. In the event of a conflict between or among the terms of documents relating to the Products, the following order of priority will govern, except where the specific terms of a document provide otherwise: (a) any applicable order acknowledgment and invoice; (b) this Agreement; (c) the applicable quotation; and (d) the applicable Purchase Order. No waiver, amendment or modification of the terms and conditions hereof will be effective unless in writing and signed by an officer of Seller. SELLER OBJECTS TO, AND IS NOT BOUND BY, ANY TERMS OR CONDITIONS ON BUYER'S PURCHASE ORDER, CONFIRMATION FORMS OR OTHER DOCUMENTS, WHICH ATTEMPT TO IMPOSE UPON SELLER ANY TERMS AND CONDITIONS AT VARIANCE WITH SELLER'S TERMS AND CONDITIONS OF SALE SET FORTH HEREIN, AND SHIPMENT OR OTHER PERFORMANCE BY SELLER SHALL NOT CONSTITUTE ASSENT TO ANY SUCH INCONSISTENT TERMS.

2. QUOTATIONS - All quotations by Seller are subject to change or withdrawal without prior notice to Buyer unless otherwise specifically stated in the quotation. Quotations are made subject to approval by Seller of Buyer's credit. Seller shall have no obligation to sell or deliver Products covered by Seller's quotation unless and until Seller issues an order acknowledgement form or upon the shipment of Products by Seller.

3. TERMS OF PAYMENT - Unless otherwise expressly agreed to by Seller in writing, terms of payment are cash to be paid in advance before delivery from Seller's warehouse.

4. MINIMUM BILLING CHARGE - Seller shall not accept any Purchase Order for any Products or Services where the aggregate price for all Products listed thereon is less than 250,00€ exclusive of all taxes, shipping, insurance and other costs.

5. SHIPPING TERMS - Unless otherwise agreed in writing by the parties, deliveries of Products shall be made EXW Seller's facility in Atesa (CH), Italy. Buyer will be responsible for and shall assume all risk and liability for, and agrees to indemnify Seller for, all loss, damage or destruction of the Products, as well as the results of any use or misuse by third parties who may acquire or use the Products, after Seller's delivery of the same to the carrier. Any loss occasioned by damage or shrinkage in transit will be for Buyer's account, and Buyer shall file any damage or loss claims directly with the carrier. Unless otherwise agreed in writing by the parties, packaging methods, shipping documents and manner, route and carrier of shipment shall be at Seller's sole discretion. Seller reserves the right to ship items in a single or multiple shipments. Unless otherwise agreed in writing by the parties, all freight charges and insurance costs shall be the responsibility of Buyer and will be invoiced as a separate line item to be paid by Buyer.

6. INSPECTION AND ACCEPTANCE OF GOODS - Buyer shall examine Products promptly upon receipt of delivery from the carrier. Buyer shall advise the carrier of any damages or shortages prior to acceptance of Products and, except for any latent defects, shall advise Seller of any claims with respect to shortages, damages or discrepancies within ten (10) days after receipt thereof. If Buyer does not so notify the carrier and Seller of any nonconforming or damaged Products during this period, the Products shall be deemed accepted and it is expressly agreed that Buyer shall have waived all claims based on any defects that were or would have been discovered on reasonable inspection during this period. Buyer shall afford Seller a reasonable opportunity to inspect such nonconforming or damaged Products and to cure any nonconformity. BUYER'S FULL OR PARTIAL PAYMENT OR ACCEPTANCE OF DELIVERY OF PRODUCTS WITHOUT NOTIFYING THE CARRIER AND SELLER OF ANY DAMAGES OR SHORTAGES IN ACCORDANCE WITH THIS SECTION SHALL CONSTITUTE ACCEPTANCE OF SUCH PRODUCTS.

7. DELIVERY - Seller's delivery or shipping dates are approximate only and merely represent Seller's best estimate of time required to make delivery or shipment. Shipment dates are contingent on prompt receipt by Seller of all necessary shipping information. Seller shall not be held responsible for failure to meet estimated shipping dates, and in no event shall Seller be liable for any loss, cost, damage or expense whatsoever incurred by Buyer or its customers that may result therefrom.

8. RETURN POLICY - No merchandise shall be returned without a written authorization from a Ecommerce official.

9. TECHNICAL DATA; PRODUCT USE - All technical information and instruction of use are free to download on our website www.ekommerce.it or to be required directly to the Seller.

10. GOVERNING LAW - The laws of the State of Italy shall govern the validity, interpretation and enforcement of this agreement, without regard to its conflicts of law principles.

11. THE PICTURES ARE PURELY INDICATIVE - Being constantly committed to product improvement, the features and images of the items in the catalog may be changed at any time without notice.

Notes

[illegible]

Notes

[illegible]



CONTACT

OUR CHANNELS
AT YOUR SERVICE



visit our
websites
www.ekommerce.it/en/
www.ekomille.com/en/



call
the number
+39 0872 888058



or
write to
export@ekommerce.it

Follow us





EKOMMERCE
IPM SOLUTIONS



Ekommercer Srl

Via Venezia, 18
66041 Atesa (CH)
Tel. +39 0872 888058
Fax +39 0872 888056
www.ekommerce.it

