



New value to your work

PROFESSIONAL CATALOGUE

Edition n. 2

NEW VALUE TO YOUR WORK

Ekommerce Srl was established in 2001 with the aim to promote Ekomille, the innovative and eco-friendly rodent control system. The company today is committed to provide innovative solutions in the market of environmental pest management services.

The solid structure, the efficient marketing organization, the field-specific technical expertise ensure a successful involvement in the pest control market and a continuous improvement. The company's goal is to gain the market leadership in the field of eco-friendly products with high customer satisfaction, public organizations, private and especially **PCO professionals**.

Our mission is to meet the satisfaction of the customers and to be sustainable for the **environment** and human health by means of suitable instruments and services for pest management.

Our success is dependent upon the up-to-date expertise of our staff, and to an organization designed to meet our clients' needs.

A team of professionals and technicians is at your service to sort out pest control issues in an ecological, hygienic and safe way.



GENERAL CONTACT INFORMATION

EKOMMERCE SRL

Via Venezia snc - Zona Industriale Saletti 66041 Atessa (Chieti) ITALY





www.ekommerce.it





EKOMMERCE PRIDE IN THE WORLD

Ekommerce, with its "Made in Italy" products, has established itself in the **professional pest management** market as the first Glocal Pest Company: a global company able to export its "business model canvas" out of its Country and affirming the own presence at **international** level, in all 5 continents, where it spreads the important experiences acquired from the **local** market.

Ekommerce is present today in many countries:


Europe > Spain / Romania / France / The Netherlands / Belgium / Bulgaria / Poland / Hungary / Portugal **Oceania** > Australia Asia > China / India / Indonesia / South Korea / Malaysia / Philippines / Singapore USA and South America > USA / Argentina / Chile / Colombia / Mexico / Paraguay / Peru / Trinidad and Tobago Africa > Madagascar / Marocco / South Africa

DO YOU WANT TO BECOME OUR NEXT DISTRIBUTOR?

Contact us directly and we will evaluate together the products suitable for your market

Write us export@ekommerce.it

Call us +39 (0)872 888058



INDEX PEST PRODUCTS



12

Ь

FLY CONTROL SYSTEM

28

PEST MONITORING SYSTEM

36

EQUIPMENTS

40

BIRD MANAGEMENT SYSTEM





















EKOMILLE

Ekomille is an electromechanical equipment for the capture, continuous and effective, of all species of rodent pests (mice and rats). Thanks to its characteristics it ensures hygiene, safety and ecology. The result of years of study and research, with almost twenty years' experience certified, the equipment is operated in a natural way without the use of poisons or harmful, but taking advantage of the ethology of pests. The rodent, attracted by natural priming, is captured instantly just trying to eat. Sensitive electromechanical devices allow immediate catch, multiple and continuous.

There are three functional principles:

PRIMING FOOD: Unparalleled and guaranteed by the use of natural substances available in 16 rooms bait. Thanks to these properties, Ekomille allows to make strategy choices of food priming unique in its kind.

STRUCTURAL PRIMING: The device is appreciated as a safe environment and then as a place in which the rodents atmosphere its lair and its shelter.

HUMAN FACTOR: The PCO, through the use of the Eko System line, is able to express its full potential, in terms of image and professional competence, thanks to the possibility of being able to use a technology that makes objective and transparent the result of its operating activities.

The advantages of Ekomille are numerous:

- ✓ **Ecological** because it does not use poisons
- ✓ Safe because it is safe for children, non-target animals and in the workplace
- **V Hygienic** because it does not disperse infected carcasses in the environment and complies with HACCP standards **✓ Ethological** because it exploits the behavior of rodents for their capture
- **v** Ethical because compared to the other rodent control and glue methods, it represents the rodent suppression system that causes less suffering
- ✓ Multifunctional because it is suitable for any environment, interior, exterior, floor or suspended
- ✓ Easy because after installation, limited periodic checks are required
- ✓ Versatile because it can also be used for prevention and monitoring activities
- ✓ Efficient because it carries out mass trapping, containing up to 80 rodents in the specific tank
- ✓ Effective because it captures all 3 main species of weed rodents without distinction

Dimensions (mm): w 330 x d 440 x h 630





EKO RODENT SYSTEM









Code: Packaging:

No-target

animals safety

2001/E 1pc

Environmental safety



Child safety

Health in workplace and safety



Health centers safety









EKOLOGICAL RODENT SYSTEM > Protection system

EKOBOX A

EKOLOGIC

Ekologic is an ecological device for monitoring all species of rodent pests. Built with a solid structure in ABS plastic, it is used in monitoring activities, especially in the initial phase, in combination with the Ekomille to cover the entire area involved in rodent control. Do not make catches. Can be used in all the internal and external contexts of companies in the food industry chain, industries, public places and other environments open to the public. The natural bait kit (Ekofood 100 - code 2014) is supplied.

Dimensions (mm): w 330x d 440 x h 370



Code: APGA05B Packaging: 1pc

EKONTROL

Ekontrol is an integrated remote control system for monitoring pest rodents, which thanks to a powerful web platform allows real-time monitoring of rodent control stations from any part of the world, at any time, by the PCO professional and the Customer user.

Ekontrol consists of two parts:

HARDWARE: In line with quality standards, the hardware system is made of ABS plastic and electronic components. Equipped with a PIR sensor that detects passage and/or capture of rodent pests and a GSM/GPRS Quad-Band 850/900/1800/1900 MHz system that allows data transmission to the web server. It is able to provide information on battery status, on/off, daily life status, captures/passages. Equipped with 2600 mAh rechargeable lithium battery with an average life of 3 months. Power on/off by magnet.

SOFTWARE: The software is a web platform accessible from PC, smartphone, tablet, without download and accessible from anywhere in the world via credentials. All detection data can be exported in Excel and customizable graphic files.

It can be installed on rodent control devices and in "Free" mode near sensitive access points, such as cable ducts, electrical cabins, floating floors, false ceilings.

Ekontrol is supplied complete with: detection device, microsim card, 1 lithium battery, 1 magnet, 1 double-sided adhesive

Dimension (mm): w 100 x d 55 x h 30







Code:

Packaging:

8551 – Ekontrol 8551B - Lithium battery 8551CQ - Charger 4 batteries 1pc





Packaging:

2004E - GREEN color 1pc

EKOPARK

Ekopark is an inspectable cover for Ekomille and Ekologic designed for urban outdoor environments. Made with an aluminum structure and treated wood, it is perfect for being discreetly integrated into urban and civil furnishings, such as parks and gardens. It guarantees protection against no-target animals, theft, tampering and vandalism. Padlock with code supplied.

It can be supplied complete with Ekomille (code 2001PARK -Ekologic Island).

Dimension (mm): w 490 x d 600 x h 700



7008)

Code: Packaging: 1pc

7007+7008

Ekobox A is the inspectable cover for the Ekomille device and Ekologic monitoring device. It is characterized by a completely closed structure: closed floor with system for fixing to the ground, perforated roof, 3 fixed walls and front door with flap opening to simplify the control operations. The door is equipped with holes for closing with padlocks (supplied) and window for rapid control of the Ekomille counter. On the walls there are 3 entry holes for mice and rats (one per wall). Made of painted metal. Equipped with a practical front flap door. Ideal for industrial and civil environments to protect capture and monitoring equipment, against non-target animals, theft, vandalism and curious non-experts. Comes disassembled with instructions. Available in two colors: cream and green. Padlock with code supplied.

Dimension (mm): w 410 x d 550 x h 735



Code:

Packaging:

4177 – Ekopark 2001PARK - Ekologic Island 1pc

EKOBLOCK & EKOBLOCK FIXING

Ekoblock and the fixing pole, together they create an anchoring system to the ground in aluminum and zinc-coated steel. Practical to install with a capacity up to 500 kg. It is used as a security and anti-theft system for Ekopark and Ekobox.

Dimension (mm): Ø cable 4 - w 500 (code 7007) | w 900 (code

EKOWAS

Ekowas is a reusable container in 100% polypropylene plastic for the collection, transport and temporary storage of carcasses of rodents caught with Ekomille. The practical cover with closing system with lateral hooks allows the container to be closed securely so as to facilitate manual transport without risk. Capacity of 25 liters.



Codice:



Ekofix 100, is a concentrated flavored odor control liquid. It is a specifically designed, tested sanitizing and desodorising liquid mixture designed to be used effectively in the Ekomille. The product, supplied concentrated, is in liquid solution, with an identifying green color and a characteristic almond aroma. For use dilute the contents of the 5 liters tank inside the lower section of Ekomille and add about 13 liters of water, until reaching the level of the solution between the linear indicators on the internal side walls of the section.

Packaging: double corrugated cardboard box containing 3 of 5 liters tanks each (total 15 liters of concentrated liquid).



Code:

2012 5 liters tank (box with 3 tanks) Packaging:





EKOWORK

Ekowork, reusable polyethylene plastic container for recovery, storage, reuse and transport to the place of disposal of the spent Ekofix liquid. Versatile, safe, facilitates the emptying of the Ekofix. Equipped with a "trolley" style carrying handle and a wheel to facilitate moving at full load. Containing capacity of 36 liters.

Dimension (mm): w 570 x d 370 x h 280

7004

1pc

EKOFIX 100



Code: Packaging:

EKONET & COLLECTION BAGS

Ekonet, professional shovel and collection bags of carcasses of rodents caught in the lower section of Ekomille. It allows a quick collection of carcasses in complete safety. Equipped with stainless steel structure with nylon fiber mesh and iron extensions.

Dimension (mm): w 260 x d 200 | Ø 20 – w 270



Code:

3281 – collection bags 1 pc (code APGA13A) 5 pcs (code 3281)

Packaging:

APGA13A - shovel

Dimension (mm): w 400 x d 300 x h 260



7003 Confezionamento: 1pc



EKOFIT

Ekofit is a shockproof plastic box with a lid containing all spare parts and accessories for repairing the Eko System. Practical and easily transportable, it contains in a small space everything necessary for ordinary and extraordinary maintenance * of the Eko System equipment.

Dimension (mm): w 550 x d 250 x h 280

*Included: Manger partition 5 pcs / Lower ladder complete 1 pc / Trapdoor gasket 3 pcs / Big feed holder 1 pc / Battery 3 pcs / Small feed holder 1 pc / Charge lever 3 pcs / Manger 1 pc / Seeger charge lever 5 pcs / Complete mobile wall 1 pc / Sensor bar 3 pcs / Left cover 1 pc / Fixing scrivet 10 pcs / Right cover 1 pc / Screws for axis impeller 10 pcs / Sunflower seeds 500g 3 pcs / Bushings impeller axis 10 pcs / Animal fat bag 30g 5 pcs / Screw in plastic hatches 10 pcs / Pine nuts bag 15g 5pcs / Nut for hatches axes screws 10 pcs / Disposable gloves 6 pcs / Superior ladder complete 1 pc.



Code: Packaging:

3282 1pc



Code: Packaging:

EKOUP & EKOSIDE

APGA07 – Ekoup APGA09 – Ekoside 1pc

Ekoup & Ekoside, are an equipment support system

with tubular arm in painted steel. It can be used for

height positioning of Ekomille or Ekologic for the

w 150 x d 340 x h 100 (Ekoside)

Dimension (mm): w 350 x d 360 x h 850 (Ekoup)

control of the black Rat (Rattus rattus).

EKOSHIP

Ekoship is a practical and interchangeable handle for transporting and moving Ekomille, in ABS plastic.

Dimension (mm): w 500 x d 280

SECURITY

Security is a safety label for Ekomille, thermochromic with a unique and unrepeatable code that becomes irreversibly red when disconnected, leaving the word VOID (violated)

Dimension (mm): 60 x 30





Code: Packaging:

1pc

APGA01





Code: 7184 Packaging: 1pc

CODE	DESCRIPTION	PCS-KI
APG001	ROOF	1 pc
APG002	SUPERIOR SECTION	1pc
APG003	UPPER LADDER	1pc
APG005	INFERIOR SECTION (BUCKET)	1pc
APG006	LOWER LADDER	1pc
APG008	LEFT COVER	1pc
APG009	RIGHT COVER	1pc
APG010	BIG PORT FEED	1pc
APG011	LITTLE PORT FEED	1pc
APG012	MANGER	1pc
APG013	MANGER PARTITION	1pc
APG014	PARTITION	1pc
APG015	BATTERY CAP	1pc
APG016	MOVABLE WALL	1pc
APG020	LEFT TRAP DOOR OF UPPER SECTION EKOMILLE	1pc
APG021	RIGHT TRAP DOOR OF UPPER SECTION EKOMILLE	1pc
APG023	SHOVEL	1pc
APG027	SOLENOID BOX COVER	1pc
APG028	BATTERY MOUNT	1pc
APG041	AXIS BOX MECHANISMS	10 pcs
APG043	PIN SAFETY LEVER	1pc
APG050	PULLEY	1pc
APGS52	CHARGING LEVER + CHARGING LEVER LOCK SEEGER	1pc
APG083K	FIXING SCRIVET	1 kit - 10 p
APG086	CIRCUIT SWITCH	1pc
APG088-R	COMPLETE MICRO-CONTACT KIT WITH THERMORETRAIBLE SHEATH	5 pcs
APG091	SPRING PULLEY	1pc
APGR01	LADDER KIT	1 kit
APGR02	GASKET KIT	1 kit
APGR05	MECHANISM KIT	1 kit
APGR04	INTERNAL SPARE PARTS KIT	1 kit
APGR06	KIT COMPLETE ASSEMBLY	1 kit
APGS08	ELECTRICAL GROUP	1pc
APGS09	SENSOR BAR	1pc

EKOFOOD						
	Natural baits with high	attractive power and	d long-life			
2014	EKOFOOD 100 - sunflower seeds - pine nuts - animal fat	pack 675 g	Rattus rattus, Rattus norvegicus, Mus musculus domesticus			
8110	EKOFOOD 100 - animal fat	pack 50 g	Rattus norvegicus			
8211	EKOFOOD 100 - sunflower seeds	pack 600 g	Rattus rattus			
8212	EKOFOOD 100 - pine nuts	pack 25 g	Mus musculus domesticus			
8230	EKOFOOD 100/P - natural food	bucket 2 kg	Rattus rattus, Rattus norvegicus, Mus musculus domesticus			
8192	EKOFOOD 105 - pasture with red strawberry cereal	10 x pack 500 g	Rattus rattus, Rattus norvegicus, Mus musculus domesticus			
8193	EKOFOOD 105 - flour Herring 999 certified	10 x pack 500 g	Rattus rattus, Rattus norvegicus, Mus musculus domesticus			
8194	EKOFOOD 105 - mix of seeds and flour Herring 999	10 x pack 500 g	Rattus rattus, Rattus norvegicus, Mus musculus domesticus			
8195	EKOFOOD 105 - chrysalis whole greased with lard virgin	10 x pack 300 g	Rattus rattus, Rattus norvegicus			
8177	EKOFOOD 115 - RICE FOOD	pack 600 g	Rattus rattus			

KLIGHT, GLUEBOARD UV TRAPS

Klight is the brand of UV traps with glueboard for professional use, the most suitable tool for capturing and monitoring internal areas infested by flying insects, such as flies, midges, wasps, food moths, etc.

Klight includes many models depending on the environment in which they are used:

KILLED is the new range of UV LED traps for professional use in Ho.Re.Ca. or front office environments

INDUSTRIAL Line incorporates UV traps with important design and high-performance technical features, suitable for use in industrial contexts such as food factories, processing and preparation areas and wet environments

COMMERCIAL Line, on the other hand, contains models of UV traps whose technical characteristics allow their use in environments such as warehouses, storage areas and technical areas open to the public

HO.RE.CA. Line is the line created to identify UV traps that, in addition to being highly performing, can be suitable for use in Ho.Re.Ca. and front office environments, such as restaurants, hotel lobbies, dining rooms, etc.

WE CREATE YOUR UV TRAP

Ekommerce is able to realize **customized UV traps** production, already from small production lots (50 MOQ).

Customizations can be made on models already in production or customized models can be developed and designed exclusively for the customer's use and design, in collaboration with our designers and technical staff.



POSITIONING SUGGESTION


- ✔ Recommend enough units to cover the entire area to be protected
- ✓ Install units away from sources of light competition, such as windows, doors and lighting equipment
- ✓ Install at an average height of 2 meters from the ground
- ✓ In positioning, make sure that there are no visual barriers that hinder the visibility of the entire monitored area
- ✓ Continuous 24/7 operation is recommended
- \checkmark For monitoring in technical areas, place near potential entry points so as to intercept flying insects before reach the sensitive areas
- ✓ For monitoring in processing areas, place away from preparation points



FLY CONTROL SYSTEM







FLY CONTROL SYSTEM > KILLED



100


TABLED

TABLED is a UV LED trap for table, for capturing and monitoring in a discreet way, flying insects such as flies, wasps, food moths, etc., in Ho.Re.Ca. environmental. Can be positioned on a horizontal surface, as a desk or furniture. Its structure is in original natural stone, designed for environments open to the public, with a sophisticated and discreet design, such as hotel lobbies, restaurants, spas, etc.



Code: Packaging:

8632 1pc



MILEDSTONE

MILEDSTONE is a UV led wall trap for the capture and monitoring of flying insects, such as flies, etc., in Ho.Re.Ca. environmental and in a discreet way. Designed for environments open to the public, with a sophisticated and discreet design, such as hotel lobbies, restaurants, spas, etc. In natural stone made in Italy. Easy for maintenance.

Code:
Packa

8633 1pc aging:

TUFFLED

TUFFLED is a UV LED table trap for capture and monitoring of flying insects, such as flies, etc., in Ho.Re.Ca. environmental and in a discreet way. Can be positioned on a horizontal surface, such as a table or desk. Its structure is in original natural stone, of Italian manufacture, designed for interiors open to the public, with a sophisticated and discreet design, such as hotel lobbies, restaurants, SPA wellness centers, etc.



8634 Code: Packaging: 1pc



FLY CONTROL SYSTEM > KILLED

WALLED

WALLED is a range of UV LED glueboard traps for professional use, for monitoring and control of flying insects. Its design blends perfectly with the environment in which it is placed. Ideal for front office environments, Ho.Re.Ca. and domestic. Its structure is in powder coated steel, with different possible colors. Its look is compact, discreet and modern.



Code

8635 Packaging: 1pc

GEMLED









GEMLED is a UV led glueboard trap for monitoring and capturing of flying insects. Its design is ideal for use in environments open to the public, such as front office, Ho.Re.Ca. Its structure is in powder coated steel, with different possible colors. Its look is compact and modern and can be positioned on the wall.



Code: Packaaina:

8636 1pc



FLY CONTROL SYSTEM > INDUSTRIAL Line

ATEX 36



ATEX 36, is a model of UV trap in stainless steel and polycarbonate designed for environments with a high risk of explosion. Equipped with ATEX protection for gas and dust, zone: 1, 2, 21, 22.

Coverage (m²): 120

Dimension (mm): w 700 x d 120 x h 700


Tubes: 2 x 18 Watt





8449 Code: Packaging: 1pc

OCEAN 30S IP68



OCEAN 30S IP68, is the UV trap in stainless steel and polycarbonate designed for environments with a high concentration of humidity. Guaranteed for IP68 protection from washing with water.

Coverage (m²): 80

Dimension (mm): w 770 x d 90 x h 300

Tubes: 2 x 15 Watt



Code:

8360 Packaging: 1pc



PRO

PRO is the line of UV traps for professional use with glue board for the capture and monitoring of flying insects. The frame is in stainless steel or white powder coated steel, ideal for industrial environments. The UV PRO traps can be installed in many different ways depending on the need: they can be fixed to the wall, or suspended from the ceiling (a maximum height of 2 m is recommended), they are multi-position traps and thanks to the minimal design, they guarantee wide diffusion of UV light and easy maintenance when replacing glueboards and UV tubes.

PRO 40

Coverage (m²): 125 Dimension (mm): w 620 x d 110 x h 295 Tubes: 2 x 20 Watt





Code:

Packaging:

5139 - PRO 40S (Stainless steel) 5138 - PRO 40W (White) 1pc



Optional:

✓ Shatterproof UV lamp

✓ Black Glueboard





Consumables:

Consumables:

5153ECG

7124

5154ECG 8570



PRO 80

Coverage (m²): 250 Dimension (mm): w 620 x d 110 x h 295 Tubes: 2 x 40 Watt Consumables: 5154ECG 7123



5141 - PRO 80S (Stainless steel) Code: 6140 - PRO 80W (White) Packaging: 1pc



FLY CONTROL SYSTEM > INDUSTRIAL Line

FLY CONTROL SYSTEM > COMMERCIAL Line

PRO IP65

PRO IP65, the line of UV traps for professional use with glueboard for capturing and monitoring flying insects with IP65 protection.

The frame is made of stainless steel and polycarbonate, ideal for wet environments in industrial areas, IP65 guaranteed.

IP65 UV PRO traps can be installed in many different ways depending on the need: fixed to the wall, or suspended from the ceiling (a maximum height of 2 m is recommended), are multi-position and thanks to the minimal design, they guarantee wide diffusion of UV light and easy maintenance when replacing glueboards and UV-Shatterproof tubes.



PRO 40S IP65

Coverage (m²): 125 Dimension (mm): w 680 x d 140 x h 300 Tubes: 2 x 20 Watt Shatterproof





Code: Packaging:

5140 - PRO 40S IP65 (Stainless steel) 1 pcs



PRO 80S IP65

Coverage (m²): 250 Dimension (mm): w 680 x d 140 x h 300 Tubes: 2 x 40 Watt Shatterproof

Consumables: 5154ECG 7123SP



Code: Packaging:


5142 - PRO 80S IP65 (Stainless steel) 1 pcs





EASY

EASY range is composed of UV traps for professional use with glueboard for the capture and monitoring of flying insects. The frame is in stainless steel. Designed for use in technical environments, such as processing areas, food storage areas and warehouses. Very versatile, as they can be positioned on the wall, suspended, multi-position and at an angle. The EASY line is a line of compact and very simple UV traps to be maintained during the glueboards and UV tubes changing.



RB40

RB40 is the UV trap in stainless steel and white powder coated steel, designed for particularly sensitive environments, such as food processing and packaging areas. A simple and modern design characterizes this UV trap, which allows a wide diffusion of UV light. Can be positioned in different positions: suspended from the ceiling with a special chain or positioned on the wall.

Coverage (m²): 120

Dimension (mm): w 630 x d 134 x h 300 Tubes: 1 x 40 Watt



Optional: ✓ Shatterproof UV lamp Black Glueboard






8413 - EASY 36S (Steinless steel) 1pc



8414 - EASY 72S (Steinless steel) 1pc



Code:

Packaging:

8458 - RB 40S (Steinless steel) 8458W - RB 40W (White) 1pc

SLIM 30S

SLIM the UV trap model is characterized by its "slim" structure, with a depth of only 8 cm. UV trap in stainless steel with a simple design, which allows a wide diffusion of UV light. Can be positioned on the wall and multi-position. Ideal for use in processing and preparation areas.

Coverage (m²): 80 Dimension (mm): w 470 x d 80 x h 300 Tubes: 2 x 15 Watt





1pc



DUPLO 45

DUPLO 45 is a UV trap model characterized by a modern and discreet design, ideal for areas open to the public. Equipped with a solid and slim structure with a depth of only 6,5 cm. It is also characterized by its double glueboard insertion system, possible both laterally and from above. The front door can be easily opened thanks to the locking system with lever, which allows a practical and guick maintenance. The UV lamps are three that increase the attractive power, but it is possible to alternatively decide to turn them on individually. The frame is in steel painted with white powders.



Coverage (m²): 120 Dimension (mm): w 580 x d 65 x h 310 Tubes: 3 x 15 Watt

Consumables: 5154ECG 8570



8501 Packaging: 1pc

FOOD 30W

FOOD 30 White, is a compact UV glue trap model, ideal for environments open to the public. Very simple and discreet design and very fast maintenance. The door can be opened from the front leaving the maintenance area completely open, favoring the activity of replacing glueboards and UV lamps. Can be placed on the wall, it can also be placed on a horizontal surface, thanks to the special stainless steel support accessory (code 8141). The model is in steel painted with white powders. The stainless steel version (code 8119) is available on request

Coverage (m²): 80 Dimension (mm): w 480 x d 85 x h 390 Tubes: 2 x 15 Watt





3440 1pc

FOOD 60S

FOOD 60 Stainless Steel is the UV trap for professional use in stainless steel characterized by the presence of a double-sided glueboards, to increase the glue-area and so the capture capacity of the trap. Practice in maintenance, thanks to the double opening downwards of the front and back door, through a simple closing system with lever. Ideal for logistics areas, food storage areas and warehouses. On request the version in steel painted with white powders (code 8620W) is available..





Optional: ✓ Shatterproof UV lamp Black Glueboard





- **Optional:**
- ✓ Shatterproof UV lamp
 ✓ Black or Yellow Glueboard
- In stainless steel or steel painted with white powders







FLY CONTROL SYSTEM > COMMERCIAL Line

FLY CONTROL SYSTEM > HO.RE.CA. Line

ONDA 30W


ONDA 30 White is a UV trap in steel painted with white powders. It stands out for its curved structure with a pleasant design, ideal for use in places open to the public. Can be positioned on the wall with different positioning possibilities. The stainless steel version (code 8132) is available on request.

Coverage (m²): 60 Dimension (mm): w 480 x d 145 x h 280 Tubes: 2 x 15 Watt





8007 Code: Packaging: 1pc



WALL


WALL, a line of UV traps for professional use with glueboard for the capture and monitoring of flying insects, with a design that is perfectly suited to environments open to the public. The frame is in powder-coated steel of different colors. Its look is modern and elegant, which allows it to blend in perfectly in the environments in which it is positioned.





MINI 30S

MINI 30 is a small-sized UV trap in stainless steel, ideal for use in small environments such as small supermarkets, small food storage areas or warehouses.



Coverage (m²): 60 Dimension (mm): w 315 x d 75 x h 190 Tubes: 2 x 15 Watt Consumables: 6193Y



Code: Packaging: 1pc

8335

Coverage (m²): 80 Dimension (mm): w 515 x d 70 x h 250 Tubes: 2 x 15 Watt

Consumables: 6064Y 8570





Code: 8361 BLACK RAL 9005 RAL 4004 NETED LUCIOS NETED LUCIOS

Optional for ONDA: ✓ Shatterproof UV lamp
 ✓ Black or Yellow Glueboard \checkmark In stainless steel or steel painted with white powders





Optional:

- ✓ Shatterproof UV lamp
 ✓ Black or Yellow Glueboard
 ✓ Available different frame color







NICE

NICE is the range of UV traps with glueboard in white powder coated steel, perfect for environments where maximum discretion is required in terms of insect control, such as in Restaurants, Hotels and all areas open to the public. Discreet, elegant and modern design. To be install vertically on the wall. On request it is possible to have different colors.

NICE 18W

Coverage (m²): 40 Dimension (mm): w 475 x d 174 x h 195 Tubes: 18 Watt Dulux-L 1 x

Consumables: 8371ECG 7195

Code:

5130 Packaging: 1pc

NICE 30W

Coverage (m²): 60 Dimension (mm): w 700 x d 220 x h 220 Tubes: 2 x 15 Watt

Consumables: 5148ECG 8570

Code: Packaging:

5131

1pc





TWIST

TWIST is a UV trap model in painted steel, ideal for positioning in environments open to the public. Can be positioned on a horizontal plane, as a desk or front office or in a domestic environment. Very discreet and available in different colors.

Coverage (m²): 30 Dimension (mm): Ø 158 x h 400 Tubes: 1 x MiniLynx 20W Consumables: 5152EPB 8044S



Code: 8502 Packaging: 1pc







X30

X30 is the UV trap with glueboard for capturing and monitoring flying insects in general, such as gnats, flies etc. Made of stainless-steel in its front part and the back-frame part in powder coated steel. Its compact and modern design has been designed to make it perfectly integrated in contexts such as industrial kitchens. Can be positioned on the wall. It is characterized by its front cover, whose central part can be rotated to allow practical and easy maintenance when changing consumables, but it is also removable to increase its attractiveness. The glueboard is inserted from the top.




Coverage (m²): 80 Dimension (mm): w 570 x d 70 x h 290 Tubes: 2 x 15 Watt



Optional: ✓ Shatterproof UV lamp ✓ Black Glueboard







Code: Packaging:

8597 1pc



FLY CONTROL SYSTEM > Accessories & spare parts

FLY CONTROL SYSTEM > Accessories & spare parts

ACCESSORIES							
CODE	PRODUCT NAME	DESCRIPTION	PACKAGING				
8141	STAINLESS STEEL SUPPORT for FOOD 60	Wall support to suspend and orient the trap with 360° rotation	1 pc				
8412	SUPPORT KIT	Kit to support trap FOOD 30 on horizontal surface	2 pcs				
8162SN	STARTER SINGLE	For fluorescent lamp individually powered by an electromagnetic reactor	25 pcs				
8162SR	STARTER SERIES	For fluorescent lamp powered in series with an electromagnetic reactor	25 pcs				
6166	PRO COLLECTOR	Stainless steel collector of insects for traps PRO 40/80	1pc				
5146	UV METER PRO	Professional UV light meter UVA and UVB	1pc				

	TAK GLUEBO	DARD			
CODE	SPARES FOR	DIMENSION MM	COLOUR	PACKAGI	
371ECG	NICE 18 - SMART 18	540 x 250	YELLOW	6 pcs	
148ECG	NICE 30	540 x 250	YELLOW	6 pcs	
3061Y	FINE 18	197 x 200	YELLOW*	12 pcs	
3064Y	FINE 36	271 X 150	YELLOW*	12 pcs	
5151EPB	SOFT 18	243 x 135	WHITE*	6 pcs	
152ECG	SOFT 30 - TWIST 20	0 478 × 200 YELLOW*		6 pcs	
5152EPB	30F1 30 - TWIST 20	478 X 200	WHITE*	o pes	
6193Y	MINI 30	230 x 195	YELLOW	12 pcs	
153ECG	PRO 30 - SLIM 30 - ONDA 30 - ATEX 36	390 x 300		6 0.00	
157ECN	PRO 30 - SLIM 30 - ONDA 30 - ATEA 30	240 X 200	6 pcs		
154ECG			YELLOW		
155ECN	PRO 40/80 - OCEAN 30 - EASY 36/72 - RB40 - DUPLO 45	543 x 300	BLACK	6 pcs	
084BCG			YELLOW*		
8078Y	FOOD 30	425 x 315	YELLOW	12 pcs	
8078B	FOOD SU	425 X 315	BLACK		
178ECN	FOOD 60	450 x 295	BLACK BIFACIAL	6 0.00	
178ECG	FOOD 60	450 X 295	YELLOW BIFACIAL	6 pcs	
6064B	WALL 30	(252/5	BLACK	12 0.00	
6064Y	WALL 50	425 x 245	YELLOW	12 pcs	
8189B	GLUEBOARD 450 x 287	450 x 287	BLACK	12 000	
8189Y	GLUEDUARD 450 X 287	450 X 287	YELLOW	12 pcs	
8359B	UNIVERSAL GLUEBOARD	416 x 285	BLACK MULTIPOSITION	12	
8359Y	UNIVERSAL GLUEBOARD	410 X 285	YELLOW MULTIPOSITION	12 pcs	
8603Y	CIRCULAR GLUEBOARD	Circular Ø 300	YELLOW	12 pcs	
8612Y	GLUEBOARD 340x150	340 x 150	YELLOW	12 pcs	
8605Y		(10)/705	YELLOW	10 .	
8605B	GLUEBOARD 410 x 395	410X395	BLACK	12 pcs	

CODE	DESCRIPTION	SPARE FOR	PACKAGINO
5161	15W T5 linear - Osram lenght 300 mm - connection G5	MINI 30	25 pcs
8570	15W T8 linear – Osram lenght 450 mm – connection G13	PRO 30 - SLIM 30	25 pcs
8570SP	15W T8 linear SHATTERPROOF – Osram lenght 450 mm – connection G13	ONDA 30 - NICE 30	25 pcs
71215	15W T8 linear - Sylvania lenght 450 mm - connection G13	FOOD 30/60 - SOFT 30 OCEAN 30 - WALL 30	25 pcs
7137SS	15W T8 Lineare SHATTERPROOF - Sylvania lenght 450 mm - connection G13	DUPLO 45	25 pcs
7124	18W T8 lineare – MONSTER lenght 450 mm – connection G13		25 pcs
7124SP	18W T8 lineare - MONSTER SHATTERPROOF lenght 600 mm - connection G13	EASY 36	25 pcs
7124S	18W T8 lineare - Sylvania lenght 600 mm - connection G13	ATEX 36	25 pcs
7126SS	18W T8 lineare – Sylvania SHATTERPROOF lenght 600mm – connection G13		25 pcs
7122	20W T12 lineare - MONSTER lenght 600 mm - connection G13		25 pcs
7122SP	20W T12 lineare - MONSTER SHATTERPROOF lenght 600 mm - connection G13	PRO 40	25 pcs
71225	20W T12 lineare – Sylvania lenght 600 mm – connection G13	110 40	25 pcs
7138SS	20W T12 lineare - Sylvania SHATTERPROOF lenght 600 mm - connection G13		25 pcs
7125	36W T8 lineare - MONSTER lenght 600 mm - connection G13		25 pcs
7125SP	36W T8 lineare - MONSTER SHATTERPROOF lenght 600 mm - connection G13	EASY 72 PRO 80	25 pcs
71255	36W T8 lineare - Sylvania lenght 600 mm - connection G13	RB40	25 pcs
7127SS	36W T8 lineare - Sylvania SHATTERPROOF lenght 600 mm - connection G13		25 pcs
7123	40W T12 lineare - MONSTER lenght 600 mm - connection G13		25 pcs
7123SP	40W T12 lineare - MONSTER SHATTERPROOF lenght 600 mm - connection G13	PRO 80	25 pcs
71235	40W T12 lineare - Sylvania lenght 600 mm - connection G13	RB40	25 pcs
7139SS	40W T12 lineare – Sylvania SHATTERPROOF lenght 600 mm – connection G13		25 pcs
7195	18W Dulux-L - Osram connection 2G11	FINE 18/36 - SOFT 18 NICE 18 - SMART 18	10 pcs
8044S	20W MiniLynx - Sylvania connection E27	TWIST 20	20 pcs
CE: Available other tubes or Legend: V T			

Kli

PEST MONITORING SYSTEM

GLUE TWIN







Glue twin is a hazelnut flavored plastic glue trap for monitoring and capturing crawling insects and Mus musculus domesticus for indoors and outdoors. The trap can be used open on its own or can be used inside a multi-catch traps and bait stations (such as Top Rat Duo, Hard Rat Inox and Evo). In polypropylene plastic with flavored glue, is perfect for use in environments with high humidity or outdoors inside multi-catch and other pest control devices. Disposable trap.

TAK

GLUETWIN

Dimension (mm): w 250 x h 100



Code: 3136 Packaging: 80 pcs

PROGLUE

PROGLUE


indoors.



PROGLUE HG



Optional: ✓ Our TAK gluetraps line can be customized with private labels on request!



PEST MONITORING SYSTEM



Glue twin is a hazelnut flavored glue trap for monitoring and capturing crawling insects and Mus musculus domesticus for indoors. The trap can be used open on its own or can be used inside a multi-catch traps and bait stations (such as Top Rat Duo, Hard Rat Inox and Evo). It can also be closed by a tunnel (also called a "little house") and positioned in the places to be monitored. Disposable trap.

Dimension (mm): w 240 x h 100







Proglue is a range of aromatic glue trap for monitoring and capturing of indoors pests. Can be used alone or inside bait stations. Disposable trap.

Proglue is specific for monitoring and capturing crawling pests

Dimension (mm): w 155 x h 100



6004S Code: Packaging: 100 pcs

Proglue HG is specific for monitoring and capturing crawling pests and Mus musculus domesticus indoors. Dimension (mm): w 155 x h 100



6004HG Code: Packaging: 100 pcs

Tak

ZEBRATRAP



Code: Packaging:



Vastrap is the trap in a tray with flavored glue, designed for wet environments or for environments with presence of water. It can be used alone, it can be protected with the special Tunnel (code 4383) or even used inside dispenser as Top Rat Duo (codes 8038, 8060, 8097, 8387). In thermoformed plastic material with 40 grams of flavored glue per tray. Used for capture and monitoring of rodents infesting Rats (Rattus rattus, Rattus norvegicus), mice (Mus musculus domesticus) and crawling insects.

Dimension (mm): w 250 x d 120 (Vastrap)



Code: Packaging:

4382 100 pcs





Code: Packaging:



(low)

BLATRAP

Tenebrio molitor, etc.).

different heights.

Blatrap is a glue trap with a specific food aroma for indoors

capturing and monitoring of cockroaches, crawling insects and

various food pest infestations. Target pest are: cockroaches,

crawling insects in general (eg silver fish), beetles (eg. carabites,

tenebrionids) and food pest infestants (eq Lasioderma serricorne,

The trap configuration allows positioning horizontally and vertically, in small spaces under and behind the furniture. The

openings allow easy and quick access for pests and protect the

glue surface from dust. Possibility to configure the trap with 2

The glue surface is with food flavoring already integrated in the glue, easy to assemble and use. To increase the priming capacity, it is possible to integrate with an attractive pad (code 3419 on request). Can be used alone or inside safety dispensers by simply removing large wings and bending small wings inside.

Dimension (mm): w 180 x d 100 x h 28 (high) | w 180 x d 100 x h 20

Code: 3212 Packaging: 200 pcs

Disposable trap. Indoor use.

BLATRAP MINI

Blatrap Mini is a glue trap with a specific food aroma for indoors capturing and monitoring, cockroaches, crawling insects and various food pest infestations. The trap configuration allows positioning horizontally and vertically, in small spaces under and behind the furniture. The openings allow easy and guick access for pests and protect the glue surface from dust.

The glue surface with food flavoring already integrated in the glue, easy to assemble and use. To increase the priming capacity, it is possible to integrate with an attractive pad (code 3419 on request). Can be used alone or inside safety dispensers. Each sheet consists of 5 traps. Disposable trap.

Dimension (mm): w $65 \times d 60 \times h 4$




Code: Packaging:

3213 sheet 5 x 1 - 200 pcs

Optional: \checkmark Our TAK gluetraps line can be customized with private labels on request!







Zebratrap is a glue trap for anobids and food moths. It is characterized by its cardboard with external graphics with slanted white and black stripes which increases its attractive power. The internal glue surface is white. Used for monitoring food processing and storage areas. It can be positioned on a horizontal or suspended surface. Activation with specific pheromone (not supplied) - see pheromone table. Plodia interpunctella / Ephestia spp. (cod. 3129 – 3129LL), Sitotroga cerealella (cod. 3133), Tinea granella (cod. 4298), Lasioderma serricorne (cod. 3132), Stegobium paniceum (cod. 4297). Disposable trap.

Dimension (mm): w 133 x d 90 x h 122 (ready to use)



8550 120 pcs



TUNNEL for VASTRAP

Tunnel for Vastrap is a tunner to protect the Vastrap gluetrap designed for wet environments or for environments with presence of water. In thermoformed plastic material, black colour.

Dimension (mm): w 250 x d 120 x h 80



4383 100 pcs

PEST MONITORING SYSTEM

PEST MONITORING SYSTEM > Pheromones

WOOD

Wood is the line of glue traps for monitoring and capturing rodent pests such as Rattus rattus, Rattus norvegicus, and Mus musculus domesticus. It is a rigid trap, with glue resistant to high temperatures in hardboard material. Two different versions are available, specific for mice and specific for rats.

RAT WOOD

Specific version for *Rattus norvegicus* e *Rattus rattus*. Dimension (mm): w 280 x d 190



3207 Code: Packaging: 48 pcs



MOUSE WOOD

Specific version for *Mus musculus domesticus*. Dimension (mm): w 140 x d 190



Code:

6031 Packaging: 96 pcs

PHEROK

Pherok is a wide range of different pheromone dispensers, all of each hold and release the active ingredient into the atmosphere in a controlled way. Different option of dispensers are available and have different properties and are suitable for specific pests.

	PHEROK DISPENSER	
CODE	PEST TARGET	LIFE
35	WEBBING CLOTHES MONTH <i>Tineola bisselliella</i> (Hummel)	60 days
3129	INDIAN MEAL MOTH Ephestia spp Plodia interpunctella (Hübner)	60 days
3130	FLOUT BEETLES <i>Tribolium</i> spp.	60 days
3132	CIGARETTE BEETLE Lasioderma serricorne (Fabricius)	60 days
3134	PINE PROCESSIONARY Thaumetopoea pityocampa (Denis & Schiffermüller)	60 days
3211	OLIVE FRUIT FLY Bactrocera oleae Gmelin	60 days
4126	GRANARY WEEVIL Sitophilus granarius (Linnaeus)	60 days
7051R	RED AWL Rhynchophorus ferrugineus	60 days
8206	LESSER GRAIN BORER Rhyzopertha Dominica (Fabricius)	60 days
3129LLB	INDIAN MEAL MOTH <i>Ephestia</i> spp <i>Plodia interpunctella</i> (Hübner) Long Life Blue	90 days
3129LLG	INDIAN MEAL MOTH Ephestia spp Plodia interpunctella (Hübner) Long Life Green	90 days
3129LLN	INDIAN MEAL MOTH Ephestia spp <i>Plodia interpunctella</i> (Hübner) Long Life Neutral	90 days
3129LLR	INDIAN MEAL MOTH <i>Ephestia</i> spp. – <i>Plodia interpunctella</i> (Hübner) Long Life Red	90 days
3129LLY	INDIAN MEAL MOTH <i>Ephestia</i> spp <i>Plodia interpunctella</i> (Hübner) Long Life Yellow	90 days
NOTICE: Diffe	erent references available on demand.	





PEST MONITORING SYSTEM > Rodent control system

T-RAT

T-RAT is the inverted T-shaped safety dispenser for the control of rodent pests, such as Rattus rattus, Rattus norvegicus, Mus musculus domesticus. It is a rodenticide bait dispenser in reinforced polypropylene plastic with high strength and resistance, equipped with a double lock with Torx anti-screw, designed to be used in indoor and outdoor areas in civil, domestic, industrial and zootechnical environments. It can be positioned on the wall with the supplied plug, or on a pole with a plastic clamp. It is supplied complete with a steel bait-bearing pin hooked to the cover, 120 x 5 mm screws with anchors for fixing to the wall. It can be made in custom color (MOQ 1000 pcs).





Code:

Packaging:

HARD RAT

HARD RAT is a stainless-steel safety dispenser for the control of rodent pests: Rattus rattus, Rattus norvegicus, Mus musculus domesticus. Particularly suitable for external and internal areas at risk of tampering. It can be positioned on the wall or on the floor with supplied plugs, on a pole with a jumper or clamp. Its shape is polygonal, very robust, equipped with a locking system with a hexagonal screw, a vertical bait-holder pin incorporated in the practical pull-out tray, usable with both Vastrap (code 7090) and Glue Twin closed to house (code 3135).

Dimension (mm): w 300 x d 85 x h 80 | Ø entry hole 5 cm



Code: 7081 Packaging: 16 pcs



EVO CONTROL STATION

form

to house

EVO Control Station is a versatile and functional device for the

control of rodents and crawling insects. In black polypropylene

plastic. In full compliance with the Integrated Pest Management

philosophy, EVO has been designed to manage both pest

rodents and the most common infesting crawling insects, such as

cockroaches and ants, with a single device with different and

complementary methods. Equipped with practical side opening

of the lid with a single locking system, which reduce the station's

opening times. The reinforced closure compared to other similar

models increases safety in use in sensitive environments. Furthermore, the presence of an interlocking cap for closing and

hiding the lock reduces the possibility of opening the EVO

- rodenticide bait dispenser and virtual baits of any physical

- trap for crawling insects with 2 Mini Blatrap joined and closed

- rodent presence control with Ekontrol system positioned inside

Evo is supplied with: internal tray, metal bait-holder pin, support for wall fixing, key for opening and cap for covering the lock.

w 235 x d 185 x h 105 (without cap)

Control Station by non-experts. Multiple features:

- gel bait dispenser for cockroach and ants' control - trap for rats or mice with large or small Snap Trap - mousetrap with one or two Vastrap glue traps

- mousetrap with Glue Twin glue trap closed to house

Dimension (mm): w 235 x d 185 x h 110 (with cap)





Code Packaging:

7500 - black color 7501 - with transparent lid 20 pcs

TOP RAT DUO

Top Rat Duo is a plastic control station (reinforced polypropylene) for the control of rodent pests, such as Rattus rattus, Rattus norvegicus, Mus musculus domesticus. It can be used as a dispenser for rodenticide baits or as a safety dispenser for glue traps such as Glue Twin (code 3135) and Vastrap (code 4382). Usable in indoor and outdoor areas in civil, domestic, industrial and zootechnical areas. It is equipped with a practical internal removable tray complete with bait pins and key lock. Can be positioned on the wall with an exclusive system or on a pole with a plastic clamp.

Available with customized color on request (MOQ 1248 pcs). It is also customizable with logo printing (MOQ 504 pcs).

Dimension (mm): w 305 x d 157 x h 105 | Ø entry hole 5 cm



Code:

8097 - grev

Packaging:

8038 - black 8060 - black with transparent lid 8387 - total transparent 12 pcs

> **Optional TOP RAT DUO:** ✓ Can be customized with color and company logo on request!



Dimension (mm): w 335 x d 75 x h 280 | Ø entry hole 7 cm



3005 - black 8130 - grey 25 pcs



EQUIPMENTS

EKOXY3

Ekoxy3 is the range of ozone generators for ecological disinfection. Thanks to the patented filter system that purifies the intake air, ozone emission is optimized and no other potentially dangerous elements are generated. Ekoxy3 is indicated for the treatment of air and surfaces for the elimination of viruses and bacteria in any type of environment (civil, industrial, food, public, health). Can be used for: air disinfection; disinfection of surfaces intended for contact with food; water disinfection of aqueducts, swimming pools and for bottling; disinfection of fruit and vegetables from mold and yeast spores; deodorizing of environments. Ekoxy3 sucks in air, purifies it through the special patented filter, then generates ozone and injects it into the environment. Ozone, thanks to its oxidizing capacity, disinfects the environment and, as unstable by nature, spontaneously converts back to oxygen without leaving toxic-harmful residues.



EKOXY3-25

Technical data: Ozone production 1 g/h ambient air Technical data: Ozone production 3,2 g/h ambient air $20^{\circ}/50\%$ Rh; Air/ozone flow 36 m³/h; Ozone concentration $20^{\circ}/50\%$ Rh; air/ozone flow 90° m³/h; Ozone concentration 50 PPM; amount of recharge filter 800 g; 25 PPM; quantity of recharge filter 410 g. Dimension (mm): w 320 x d 330 x h 120 water ozonation kit supplied. Dimension (mm): w 400 x d 380 x h 180



Code: Packaging:

8553 1pc



EQUIPMENTS



EKOXY3-50



Code: Packaging:

8554 1pc

EQUIPMENTS

COLD ZONE

Cold Zone is the range of equipment for crio-disinfestation. It is a professional system designed for ecological treatments in indoor environments (eg. hotels, hospitals, schools, transport vehicles, homes, etc.) against crawling pest insects and in particular against bloodsucking insects (eg the bedbug). Its structure is in stainless-steel with different storage capacity of the tank (30 L and 50 L). Killing action, adulticide, ovicidal and non-residual, acts by thermal shock from contact. It is ideal for insects nestled in tissues, electrical outlets and cracks that are difficult to reach. Many other accessories available upon request.



Tank capacity: 30 L Dimension (mm): Ø 35 x h 92Ø 45 x h 87





8233KIT 1 kit*

COLD ZONE 50

Tank capacity: 50 L Dimension (mm): Ø 45 x h 87



Code:

8232KIT Packaging: 1 kit*

*supplied: Coil kit 2 m: launches (code 8235): direct iet nozzle (2 L/min - code 8239): coil and filler connection (code 8350).

Ekofog is a electric thermal fogger, ideal for disinfestation, disinfection and deodorization of industries, warehouses, food storage, stables, farms, silos, sewers, air conditioning ducts, etc. The particles produced by the thermo-humidifier have a diameter of very few microns and form a uniform dispersion in the environment even of vast cubature, determining a very effective and economic action compared to other systems, with a limited

EKOFOG

use.

humidity)

Maximum boiler power: 1.500 Watt Maximum turbine power: 1.600 Watt

Max fluid consumption: 100 ml/min

Average fluid consumption: 30 ml/min

Dimension (mm): w 270 x d 250 x h 475

Electric voltage: 230 Volt Frequency: 50 Hz Protection: IP44

Preheating time: circa 7 min

EQUIPMENTS

Code:

COMPACT AEROSOL

Compact Aerosol is the ULV (Ultra Low Volume) portable nebulizer for large environments. It is a compact, lightweight device made entirely of stainless-steel. It can be placed anywhere thanks to the two wheels provided and, despite its small size, it boasts a tank with over 20 L capacity. For operation only access to a compressed air network or connection to a 250 L/min compressor is required. High versatility, allows use in multiple environments, with coverage up to 30,000 m³, also thanks to the two nozzles oriented at 45°. Easy to maintain thanks to the absence of worn gaskets. Equipped with 2 wheels and carrying handle, 2 ULV nozzles, 1 water supply faucet, 1 faucet for washing, 2 pressure reducers, 1 air pressure gauge, 1 liquid pressure gauge, quick coupling for Rilsan hose 0,8 mm. It is able to work at a pressure between 1 and 5 bar. Dimension (mm): w 330 x h 800



Packaging:

8512

1pc

amount of product used. It is equipped with an electronic temperature system that guarantees constant stability, and is equipped with a control panel to regulate the emission of fog. Convenient to move thanks to its compactness, the practical handle and the weight of only 13 kg. On request it can be equipped with 4 wheels that make it even easier to move and



Operating conditions: $5^{\circ}C \div 45^{\circ}C$ (with less than 80% relative



Code: Packaging:

7150 1pc

BIRD MANAGEMENT SYSTEM





Code:

Packaging:

SCUDO CALL CITY

Scudo Call City is a sound-digital bollard created for the removal of pest birds in a bloodless and ecological way. It is based on the issue of "alarm cries" of problematic bird species, recorded by ornithologists on high quality digital tracks of absolute sound purity. The cries of alarm are the same that the species of birds to be removed emit in nature when they are afraid. Works with mains power or with a 12 Volts battery. It has an adjustable twilight sensor that allows it to operate automatically during daylight hours, deactivating it after sunset. The operating and pause times are already set following ornithological evidence, however it is possible to modify them by following the instructions. Sound power allows it to be perceived by birds even from a great distance. Supplied with: n. 1 sound player, n. 1 cable with power supply, n. 1 power cable with battery terminals and n. 1 protective plastic cover.

Technical data:

30 Watt internal speaker 3,5 mm mono jack socket for external speaker (up to 30 watts) Active speaker selection (INTERNAL | INTERNAL + EXTERNAL | EXTERNAL) Memory capacity 8 songs Personalization of operating time and pause time (from 30 seconds to 30 minutes) Random function with random times LDR light sensor Light sensor sensitivity adjustment Daily or continuous operation Display brightness adjustment External power supply 12 Volts Power supply DC 5,5 x 2,1 mm Weight 265 g Dimension (mm): w 700 x d 700 x h 450



BIRD MANAGEMENT SYSTEM



SCUDO BIRDS

Scudo Birds is a ecological, gel for birds control, made up of a mix of natural substances extracted from plants, fats and capsaicin. Ideal for removing pest birds, such as pigeons, starlings, crows, seagulls and small and medium-sized birds. To be applied on internal and external surfaces of adjacent buildings and structures (eq. cornices, roofs, window sills, statues, monuments, etc.), at a distance of about 10-25 cm, a quantity of 20 g of product from pour onto the special trays supplied. The quantity of a cartridge covers about 3,5 m/linear.



8451WKIT - AVORY color 8451SKIT - SILVER color 12 x cartridae 280 a 12 x pack 15 trays







Code: Packaging:

8561C 1pc

NOTES ·	- Prof	fessional	Cata	logue



NOTES ·	- Prof	fessional	Cata	logue



INDEX BY PRODUCT CODE

ALPHABETICAL INDEX OF PRODUCTS

CODE	NAME	PAGE	CODE	NAME	PAGE	NAME	CODE	PAGE
2001/5	FIZONIUS	F	07/1		27			
2001/E		5	8361	WALL BLACK	23	ACCESSORIES UV TRAPS	TABLE	26
2001PARK	EKOLOGIC ISLAND	7	8361B	WALL BLUE	23	ATEX 36	8449	16
2003E	EKOBOX A – CREAM color	7	8361G	WALL GREEN	23	BATTERY CHARGER WITH 4 STATIONS	8551CQ	6
2004E	EKOBOX A - GREEN color	7	8361M	WALL BORDEAUX	23	BLATRAP	3212	30
2012	EKOFIX 100	8	8361R	WALL RED	23	BLATRAP MINI	3213	30
3005	T-RAT BLACK	35	8361W	WALL WHITE	23	COLD ZONE 30L COLD ZONE 50L	8233KIT	38 38
3135	GLUE TWIN	29	8361Y	WALL YELLOW	23	COLLECTION BAGS	8232KIT	30 9
3136	GLUE TWIN PLASTIC	29	8387	TOP RAT DUO TRANSPARENT	34	COMPACT AEROSOL	3281 8512	38
3207	RATWOOD	32	8413	EASY 36S	19	DUPLO 45	8501	20
3212	BLATRAP	30	8414	EASY 72S	19	EASY 36S	8413	19
3213	BLATRAP MINI	30	8449	ATEX 36	16	EASY 72S	8413	19
3281	COLLECTION BAGS	9	8451SKIT	SCUDO BIRDS SILVER COLOR	41	EKOBLOCK	7007	7
3282	EKOFIT	10	8451WKIT	SCUDO BIRDS AVORY COLOR	41	EKOBLOCK EKOBOX A - CREAM color	2003E	7
3440	FOOD 30W	21	8458	RB 40S	19	EKOBOX A - GREEN COLOR	2003E	7
4177	EKOPARK	7	8458W	RB 40W	19	EKOFIT	3282	10
4382	VASTRAP	31	8501	DUPLO 45	20	EKOFIX 100	2012	8
4383	TUNNEL FOR VASTRAP	31	8502	TWIST 20 GOLD	24	EKOFOG	7150	39
5130	NICE 18W	24	8502D	TWIST 20 BLACK	24	EKOFOOD	TABLE	11
5131	NICE 30W	24	8502G	TWIST 20 GREEN	24	EKOLOGIC	APGA05B	6
5138	PRO 40W	17	8502W	TWIST 20 WHITE	24	EKOLOGIC ISLAND	2001PARK	7
5139	PRO 40S	17	8512	COMPACT AEROSOL	38	EKOMILLE	2001/E	5
5140	PRO 40S IP65	18	8550	ZEBRATRAP	31	EKONET	APGA13A	9
5141	PRO 80S	17	8551	EKONTROL	6	EKONTROL	8551	6
5142	PRO 80S IP65	18	8551B	LITHIUM BATTERY EKONTROL	6	EKOPARK	4177	7
6004HG	PROGLUE HG	29	8551CQ	BATTERY CHARGER WITH 4 STATIONS	6	EKOSHIP	APGA01	10
6004NG	PROGLUE	29	8553	EKOXY3-25	37	EKOSIDE	APGA09	10
6031	MOUSEWOOD		8554	EKOXY3-50	37	EKOUP	APGA07	10
		32 17				EKOWAS	7003	9
6140	PRO 80W			SCUDO CALL CITY	41	EKOWORK	7004	8
7003	EKOWAS	9	8597	X30	25	EKOXY3-25	8553	37
7004	EKOWORK	8	8620	FOOD 60S	21	EKOXY3-50	8554	37
7007	EKOBLOCK	7	8632	TABLED	14	EVO	7500	34
7008	FIXING for EKOBLOCK	7	8633	MILEDSTONE	14	EVO - TRANSPARENT COVER	7501	34
7081	HARD RAT	35	8634	TUFFLED	14	FIXING for EKOBLOCK	7008	7
7150	EKOFOG	39	8635	WALLED	15	FOOD 30W	3440	21
7184	SECURITY	10	8636	GEMLED	15	FOOD 60S	8620	21
7500	EVO	34	APGA01	EKOSHIP	10	GEMLED	8636	15
7501	EVO - TRANSPARENT COVER	34	APGA05B	EKOLOGIC	6	GLUE TWIN	3135	29
8007	ONDA 30W	22	APGA07	EKOUP	10	GLUE TWIN PLASTIC	3136	29
8038	TOP RAT DUO BLACK	34	APGA09	EKOSIDE	10	GLUEBOARD FOR UV TRAPS	TABLE	26
8060	TOP RAT DUO BLACK with TRANSPARENT COVER	34	APGA13A	EKONET	9	GLUEBOARD TAK	TABLE	32
8097	TOP RAT DUO GREY	34	TABLE	SPARE PARTS EKOMILLE	11	HARD RAT	7081	35
8130	T-RAT GREY	35	TABLE	EKOFOOD	11	LAMPS UV-A BLACK LIGHT 368	TABLE	27
8145	SLIM 30S	20	TABLE	ACCESSORIES UV TRAPS	26	LITHIUM BATTERY EKONTROL	8551B	6
8232KIT	COLD ZONE 50L	38	TABLE	LAMPS UV-A BLACK LIGHT 368	27	MILEDSTONE	8633	14
8233KIT	COLD ZONE 30L	38	TABLE	GLUEBOARD TAK	32	MINI 30S	8335	22
8335	MINI 30S	22	TABLE	PHEROK	33			
8360	OCEAN 30S IP68	16	TABLE	GLUEBOARD FOR UV TRAPS	26			

NAME	CODE	PAGE	
MOUSEWOOD	6031	32	
NICE 18W	5130	24	
NICE 30W	5131	24	
OCEAN 30S IP68	8360	16	
ONDA 30W	8007	22	
PHEROK	TABLE	33	
PRO 40S	5139	17	
PRO 40S IP65	5140	18	
PRO 40W	5138	17	
PRO 80S	5141	17	
PRO 80S IP65	5142	18	
PRO 80W	6140	17	
PROGLUE	6004S	29	
PROGLUE HG	6004HG	29	
RATWOOD	3207	32	
RB 40S	8458	19	
RB 40W	8458W	19	
SCUDO BIRDS AVORY COLOR	8451WKIT	41	
SCUDO BIRDS SILVER COLOR	8451SKIT	41	
SCUDO CALL CITY	8561C	41	
SECURITY	7184	10	
SLIM 30S	8145	20	
SPARE PARTS EKOMILLE	TABLE	11	
TABLED	8632	14	
TOP RAT DUO BLACK	8038	34	
TOP RAT DUO BLACK with TRANSPARENT COVER	8060	34	
TOP RAT DUO GREY	8097	34	
TOP RAT DUO TRANSPARENT	8387	34	
T-RAT BLACK	3005	35	
T-RAT GREY	8130	35	
TUFFLED	8634	14	
TUNNEL FOR VASTRAP	4383	31	
TWIST 20 BLACK	8502D	24	
TWIST 20 GOLD	8502	24	
TWIST 20 GREEN	8502G	24	
TWIST 20 WHITE	8502W	24	
VASTRAP	4382	31	
WALL BLACK	8361	23	
WALL BLUE	8361B	23	
WALL BORDEAUX	8361M	23	
WALL GREEN	8361G	23	
WALL RED	8361R	23	
WALL WHITE	8361W	23	
WALL YELLOW	8361Y	23	
WALLED	8635	15	
X30	8597	25	
ZEBRATRAP	8550	31	

GENERAL CONDITIONS OF SALE

By submitting an order for the purchase of Products (a "Purchase Order"), Buyer acknowledges and agrees to the following terms and conditions (the "Agreement"):

1. SELLER'S TERMS AND CONDITIONS - The following terms and conditions are deemed part of all quotations, acknowledgments, invoices, Purchase Orders and other documents, whether electronic or in writing, relating to the sale of goods or services ("Products") by EKOMMERCE SRL, a Italian company ("Seller") to Seller's customers ("Buyer"). These terms and conditions, together with Seller's quotation, order acknowledgement and invoice to a Purchase Order accepted by Seller, constitute the entire contract of sale and purchase between Seller and Buyer with respect to the Products covered by this Agreement, will supersede all previous communications, agreements or contracts, written or verbal between Seller and Buyer, and no understanding, agreement, term, condition or trade custom at variance herewith will be binding on Seller. In the event of a conflict between or among the terms of documents relating to the Products, the following order of priority will govern, except where the specific terms of a document provide otherwise: (a) any applicable order acknowledgment and invoice; (b) this Agreement; (c) the applicable quotation; and (d) the applicable Purchase Order. No waiver, amendment or modification of the terms and conditions hereof will be effective unless in writing and signed by an officer of Seller. SELLER OBJECTS TO, AND IS NOT BOUND BY, ANY TERMS OR CONDITIONS ON BUYER'S PURCHASE ORDER, CONFIRMATION FORMS OR OTHER DOCUMENTS, WHICH ATTEMPT TO IMPOSE UPON SELLER ANY TERMS AND CONDITIONS AT VARIANCE WITH SELLER'S TERMS AND CONDITIONS OF SALE SET FORTH HEREIN, AND SHIPMENT OR OTHER PERFORMANCE BY SELLER SHALL NOT CONSTITUTE ASSENT TO ANY SUCH INCONSISTENT TERMS.

2. QUOTATIONS - All quotations by Seller are subject to change or withdrawal without prior notice to Buyer unless otherwise specifically stated in the quotation. Quotations are made subject to approval by Seller of Buyer's credit. Seller shall have no obligation to sell or deliver Products covered by Seller's quotation unless and until Seller issues an order acknowledgement form or upon the shipment of Products by Seller.

3. TERMS OF PAYMENT - Unless otherwise expressly agreed to by Seller in writing, terms of payment are cash to be paid in advance before delivery from Seller's warehouse.

4. MINIMUM BILLING CHARGE - Seller shall not accept any Purchase Order for any Products or Services where the aggregate price for all Products listed thereon is less than 250,00€ exclusive of all taxes, shipping, insurance and other costs.

5. SHIPPING TERMS - Unless otherwise agreed in writing by the parties, deliveries of Products shall be made EXW Seller's facility in Atessa (CH), Italy. Buyer will be responsible for and shall assume all risk and liability for, and agrees to indemnify Seller for, all loss, damage or destruction of the Products, as well as the results of any use or misuse by third parties who may acquire or use the Products, after Seller's delivery of the same to the carrier. Any loss occasioned by damage or shrinkage in transit will be for Buyer's account, and Buyer shall file any damage or loss claims directly with the carrier. Unless otherwise agreed in writing by the parties, packaging methods, shipping documents and manner, route and carrier of shipment shall be at Seller's sole discretion. Seller reserves the right to ship items in a single or multiple shipments. Unless otherwise agreed in writing by the parties, all freight charges and insurance costs shall be the responsibility of Buyer and will be invoiced as a separate line item to be paid by Buyer.

6. INSPECTION AND ACCEPTANCE OF GOODS - Buyer shall examine Products promptly upon receipt of delivery from the carrier. Buyer shall advise the carrier of any damages or shortages prior to acceptance of Products and, except for any latent defects, shall advise Seller of any claims with respect to shortages, damages or discrepancies within ten (10) days after receipt thereof. If Buyer does not so notify the carrier and Seller of any nonconforming or damaged Products during this period, the Products shall be deemed accepted and it is expressly agreed that Buyer shall have waived all claims based on any defects that were or would have been discovered on reasonable inspection during this period. Buyer shall afford Seller a reasonable opportunity to inspect such nonconforming or damaged Products and to cure any nonconformity. BUYER'S FULL OR PARTIAL PAYMENT OR ACCEPTANCE OF DELIVERY OF PRODUCTS WITHOUT NOTIFYING THE CARRIER AND SELLER OF ANY DAMAGES OR SHORTAGES IN ACCORDANCE WITH THIS SECTION SHALL CONSTITUTE ACCEPTANCE OF SUCH PRODUCTS.

7. DELIVERY - Seller's delivery or shipping dates are approximate only and merely represent Seller's best estimate of time required to make delivery or shipment. Shipment dates are contingent on prompt receipt by Seller of all necessary shipping information. Seller shall not be held responsible for failure to meet estimated shipping dates, and in no event shall Seller be liable for any loss, cost, damage or expense whatsoever incurred by Buyer or its customers that may result therefrom.

8. RETURN POLICY - No merchandise shall be returned without a written authorization from a Ekommerce official.

9. TECHNICAL DATA; PRODUCT USE - All technical information and instruction of use are free to download on our website www.ekommerce.it or to be required directly to the Seller.

10. GOVERNING LAW - The laws of the State of Italy shall govern the validity, interpretation and enforcement of this agreement, without regard to its conflicts of law principles.

11. THE PICTURES ARE PURELY INDICATIVE. Being constantly committed to product improvement, the features and images of the items in the catalog may be changed at any time without notice.







Ekommerce Srl

phone +39 (0)872 888058 | Fax +39 (0)872 888056 e-mail: ekommerce@ekommerce.it website: www.ekommerce.it



